

| ARCTIC CAT | | | | | | |
|---|----|-------------|----------|----------|------------|---------|
| Modell | CC | Årsmodell | Bredd cm | Längd cm | Kamhöjd mm | Delning |
| 4-Stroke Touring | | 2002 - 2003 | 38 | 345 | 25,4 | 2.52 |
| 4-Stroke Trail (single seater) | | 2002 - 2003 | 38 | 307 | 25,4 | 2.52 |
| Bearcat WT | | 1996 - 1996 | 41 | 396 | 19,1 | 2.52 |
| Bearcat WT (all) | | 1997 - 2008 | 51 | 396 | 25,4 | 2.52 |
| Cougar | | 1989 - 1998 | 38 | 307 | 18,4 | 2.52 |
| Cougar Mountain Cat | | 1996 - 1998 | 38 | 345 | 23,4 | 2.52 |
| Cougar Mountain Cat | | 1994 - 1995 | 38 | 345 | 18 | 2.52 |
| Cougar Two-Up | | 1996 - 1996 | 38 | 345 | 18,4 | 2.52 |
| Crossfire (all including Sno Pro) | | 2007 - 2008 | 38 | 345 | 31,8 | 2.52 |
| El Tigre EXT | | 1989 - 1991 | 38 | 307 | | 2.52 |
| El Tigre EXT Mountain Cat | | 1991 - 1991 | 38 | 345 | | 2.52 |
| EXT Mountain Cat | | 1992 - 1998 | 38 | 345 | | 2.52 |
| EXT Special | | 1991 - 1992 | 38 | 307 | | 2.52 |
| F series (all except Sno Pro, 1100 Turbo & 120) | | 2007 - 2012 | 38 | 325 | 25,4 | 2.52 |
| Firecat F5, F6, & F7 (all except Sno Pro) | | 2005 - 2006 | 34 | 325 | 25,4 | 2.52 |
| Jag (inc. Deluxe) | | 1992 - 1999 | 38 | 307 | 19,1 | 2.52 |
| Jag Special & Jag Z | | 1992 - 1995 | 38 | 307 | 18 | 2.52 |
| King Cat | | 2005 - 2006 | 38 | 411 | 57,2 | 3.00 |
| Pantera | | 1990 - 1991 | 38 | 307 | | 2.52 |
| Pantera | | 1989 - 1989 | 41 | 307 | | 2.52 |
| Pantera (all) | | 2004 - 2005 | 38 | 345 | 25,4 | 2.52 |
| Pantera (all) | | 1992 - 2003 | 38 | 345 | 18,4 | 2.52 |
| Pantera 3000 | | 2016 - 2016 | 38 | 371 | 25,4 | 2.86 |
| Panther (all except Panther Trail) | | 2003 - 2008 | 38 | 345 | 25,4 | 2.52 |
| Panther (all) | | 1992 - 2002 | 38 | 345 | 19,1 | 2.52 |
| Panther (inc. Deluxe) | | 1989 - 1991 | 41 | 307 | | 2.52 |
| Panther Mountain Cat | | 1990 - 1991 | 41 | 345 | | 2.52 |
| Panther Trail (single seater) | | 2007 - 2007 | 38 | 307 | 25,4 | 2.52 |
| Powder Extreme | | 1998 - 1999 | 38 | 345 | 50,8 | 2.52 |
| Powder Extreme | | 1997 - 1997 | 38 | 345 | 40,6 | 2.52 |
| Powder Special | | 1997 - 1997 | 38 | 345 | 40,6 | 2.52 |
| Powder Special | | 1996 - 1996 | 38 | 345 | 35,6 | 2.52 |
| Powder Special | | 1995 - 1995 | 38 | 345 | 18,4 | 2.52 |
| Prowler | | 1990 - 1994 | 38 | 307 | | 2.52 |
| Prowler 2-Up | | 1992 - 1995 | 38 | 345 | 18 | 2.52 |
| Prowler Mountain Cat | | 1991 - 1991 | 38 | 345 | | 2.52 |
| Prowler Special & Prowler Z | | 1991 - 1993 | 38 | 307 | | 2.52 |
| Puma (inc. Deluxe) | | 1994 - 1998 | 38 | 307 | 19,1 | 2.52 |
| Puma Two-Up | | 1995 - 1998 | 38 | 345 | 19,1 | 2.52 |
| Sabercat EXT (all) | | 2004 - 2006 | 34 | 366 | 31,8 | 2.52 |
| Thundercat | | 2002 - 2002 | 38 | 307 | 25,4 | 2.52 |
| Thundercat | | 1998 - 2001 | 38 | 307 | 21,6 | 2.52 |
| Thundercat | | 1993 - 1997 | 38 | 307 | 18,4 | 2.52 |
| Thundercat Mountain Cat | | 1998 - 2000 | 38 | 345 | 50,8 | 2.52 |
| Thundercat Mountain Cat | | 1997 - 1997 | 38 | 345 | 40,6 | 2.52 |
| Thundercat Mountain Cat | | 1996 - 1996 | 38 | 345 | 35,6 | 2.52 |
| Thundercat Mountain Cat | | 1994 - 1995 | 38 | 345 | 18,4 | 2.52 |
| Triple Touring | | 1998 - 2001 | 38 | 345 | 19,1 | 2.52 |
| Wildcat (inc. Wildcat EFI) | | 1989 - 1996 | 38 | 307 | | 2.52 |
| Wildcat EFI Touring | | 1995 - 1996 | 38 | 345 | 18 | 2.52 |
| Wildcat Mountain Cat (all) | | 1991 - 1996 | 38 | 345 | | 2.52 |
| XF Cross Country & Cross Country Sno Pro (all) | | 2014 - 2015 | 38 | 358 | 40,6 | 3.00 |
| XF Cross Country & Cross Country Sno Pro (all) | | 2014 - 2015 | 38 | 358 | 40,6 | 3.00 |

| | | | | | | |
|---|-----|-------------|----|-----|------|------|
| XF Cross Country & Cross Country Sno Pro (all) | | 2014 - 2015 | 38 | 358 | 40,6 | 3.00 |
| XF Cross Country & Cross Country Sno Pro (all) | | 2014 - 2015 | 38 | 358 | 40,6 | 3.00 |
| XF CrossTour (all) | | 2014 - 2015 | 38 | 358 | 34,3 | 3.00 |
| XF CrossTour (all) | | 2014 - 2015 | 38 | 358 | 34,3 | 3.00 |
| XF CrossTour (all) | | 2014 - 2015 | 38 | 358 | 34,3 | 3.00 |
| XF CrossTour (all) | | 2014 - 2015 | 38 | 358 | 34,3 | 3.00 |
| XF CrossTrek (all) | | 2016 - 2016 | 38 | 348 | 38,1 | 2.86 |
| XF Limited, LXR, & Sno Pro (all) | | 2014 - 2014 | 38 | 348 | 31,8 | 2.86 |
| XF Limited, LXR, & Sno Pro (all) | | 2014 - 2014 | 38 | 348 | 31,8 | 2.86 |
| XF Limited, LXR, & Sno Pro (all) | | 2014 - 2014 | 38 | 348 | 31,8 | 2.86 |
| XF Limited, LXR, & Sno Pro (all) | | 2014 - 2014 | 38 | 348 | 31,8 | 2.86 |
| Z (all except 120) | | 1996 - 2007 | 38 | 307 | 21,6 | 2.52 |
| Z (all except 120) | | 1995 - 2001 | 38 | 307 | 19,1 | 2.52 |
| ZL (all) | | 2002 - 2003 | 38 | 307 | 25,4 | 2.52 |
| ZL (all) | | 2001 - 2001 | 38 | 307 | 21,6 | 2.52 |
| ZL (all) | | 1996 - 1999 | 38 | 307 | 19,1 | 2.52 |
| ZR (all except 5000 LXR & 4000 LXR) | | 2015 - 2015 | 38 | 328 | 31,8 | 2.86 |
| ZR (all) | | 2003 - 2004 | 38 | 307 | 25,4 | 2.52 |
| ZR (all) | | 1998 - 2001 | 38 | 307 | 21,6 | 2.52 |
| ZR (all) | | 1996 - 1996 | 38 | 307 | 18,4 | 2.52 |
| ZR (all) | | 1994 - 1994 | 38 | 307 | 18 | 2.52 |
| ZR Cross-Country (all) | | 2002 - 2002 | 38 | 307 | 31,8 | 2.52 |
| ZRT (all) | | 2002 - 2002 | 38 | 307 | 25,4 | 2.52 |
| ZRT (all) | | 1998 - 2001 | 38 | 307 | 21,6 | 2.52 |
| ZRT (all) | | 1994 - 1997 | 38 | 307 | 19,1 | 2.52 |
| Bearcat 340 | 340 | 1995 - 2000 | 38 | 345 | 19,1 | 2.52 |
| Bearcat 440 | 440 | 1996 - 1998 | 41 | 396 | 19,1 | 2.52 |
| Bearcat 440-I | 440 | 1999 - 2000 | 38 | 345 | 23,4 | 2.52 |
| Bearcat 440-II | 440 | 1999 - 2000 | 41 | 396 | 25,4 | 2.52 |
| ZL (all except 440) | 440 | 2000 - 2000 | 38 | 307 | 21,6 | 2.52 |
| ZL 440 | 440 | 2000 - 2000 | 38 | 307 | 19,1 | 2.52 |
| ZR 440 | 440 | 1997 - 1997 | 38 | 307 | 19,1 | 2.52 |
| F series Sno Pro & Sno Pro Limited (all) | 500 | 2013 - 2013 | 38 | 328 | 31,8 | 2.86 |
| Bearcat 5000 (XT, XT Limited & Groomer Special) | 500 | 2015 - 2015 | 51 | 391 | 34,9 | 2.86 |
| F5 | 500 | 2013 - 2014 | 38 | 325 | 25,4 | 2.52 |
| M 5 | 500 | 2005 - 2006 | 38 | 358 | 40,6 | 3.00 |
| Mountain Cat 500 | 500 | 2001 - 2002 | 38 | 345 | 35,6 | 2.52 |
| Powder Special 500 | 500 | 1999 - 2000 | 38 | 345 | 35,6 | 2.52 |
| Sno Pro 500 (racer replica) | 500 | 2011 - 2013 | 38 | 325 | 25,4 | 2.52 |
| Sno Pro 500 (racer replica) | 500 | 2010 - 2010 | 38 | 325 | 31,8 | 2.52 |
| Sno Pro 500 (racer replica) | 500 | 2014 - 2014 | 38 | 325 | 31,8 | 2.52 |
| ZR (all except 500 LXR) | 500 | 2014 - 2014 | 38 | 328 | 31,8 | 2.86 |
| ZR 500 LXR | 500 | 2014 - 2014 | 38 | 328 | 25,4 | 2.86 |
| ZR 500 & 600 | 500 | 2002 - 2002 | 38 | 307 | 21,6 | 2.52 |
| ZR 4000 | 500 | 2016 - 2016 | 38 | 328 | 25,4 | 2.86 |
| ZR 4000 RR | 500 | 2016 - 2016 | 38 | 328 | 31,8 | 2.86 |
| Bearcat 550 | 550 | 1995 - 1995 | 41 | 396 | 18,4 | 2.52 |
| EXT 550, 580, EFI, Deluxe & 600 Triple | 550 | 1992 - 1998 | 38 | 307 | | 2.52 |
| Bearcat 570 | 570 | 2010 - 2014 | 38 | 384 | 31,8 | 2.52 |
| Bearcat 570 | 570 | 2009 - 2009 | 38 | 366 | 31,8 | 2.52 |
| Bearcat 570 XT & Bearcat 570 XTE (Europe) | 570 | 2011 - 2014 | 51 | 391 | 34,9 | 2.86 |
| Bearcat 570 XT | 570 | 2010 - 2010 | 51 | 396 | 31,8 | 2.52 |
| Bearcat 570 XT | 570 | 2009 - 2009 | 51 | 396 | 25,4 | 2.52 |
| Bearcat 570 | 570 | 2004 - 2008 | 41 | 396 | 25,4 | 2.52 |
| Bearcat 2000 LT | 570 | 2015 - 2016 | 38 | 384 | 31,8 | 2.52 |
| Bearcat 2000 XT & XTE | 570 | 2015 - 2016 | 51 | 391 | 34,9 | 2.86 |
| F570 | 570 | 2013 - 2014 | 38 | 325 | 25,4 | 2.52 |
| Lynx 2000 | 570 | 2015 - 2016 | 38 | 325 | 25,4 | 2.52 |
| Lynx 2000 LT | 570 | 2015 - 2016 | 38 | 366 | 25,4 | 2.52 |

| | | | | | | |
|---|-----|-------------|----|-----|------|------|
| Mountain Cat 570 | 570 | 2002 - 2004 | 38 | 345 | 35,6 | 2.52 |
| T 570 | 570 | 2011 - 2014 | 38 | 366 | 25,4 | 2.52 |
| ZR 580 | 580 | 1997 - 1997 | 38 | 307 | 21,6 | 2.52 |
| ZR 580 | 580 | 1995 - 1995 | 38 | 307 | 18,4 | 2.52 |
| Crossfire (all except Sno Pro) | 600 | 2010 - 2010 | 38 | 358 | 31,8 | 3.00 |
| Crossfire (all except Crossfire R & Sno Pro) | 600 | 2009 - 2009 | 38 | 358 | 31,8 | 3.00 |
| Crossfire R (all including LE) | 600 | 2009 - 2009 | 36 | 325 | 2,54 | 2.52 |
| Crossfire Sno Pro (all) | 600 | 2009 - 2009 | 38 | 358 | 38,1 | 3.00 |
| F series Sno Pro & Sno Pro Limited (all) | 600 | 2013 - 2013 | 38 | 328 | 31,8 | 2.86 |
| Sabercat (all except Sabercat EXT) | 600 | 2005 - 2006 | 34 | 325 | 25,4 | 2.52 |
| Sabercat (all except Sabercat EXT) | 600 | 2004 - 2004 | 34 | 325 | 25,4 | 2.52 |
| XF Sno Pro High Country (all) | 600 | 2012 - 2013 | 38 | 358 | 57,2 | 3.00 |
| XF (all except CrossTour, Cross Country & High Country) | 600 | 2015 - 2015 | 38 | 348 | 31,8 | 2.86 |
| Cougar Two-Up | 600 | 1992 - 1992 | 38 | 307 | | 2.52 |
| Crossfire | 600 | 2006 - 2006 | 38 | 345 | 31,8 | 2.52 |
| Crossfire 6 | 600 | 2011 - 2011 | 38 | 358 | 31,8 | 3.00 |
| Firecat Sno Pro (all) | 600 | 2005 - 2006 | 34 | 325 | 34,9 | 2.52 |
| Firecat (all except EXT) | 600 | 2004 - 2004 | 34 | 325 | 25,4 | 2.52 |
| Firecat (all) | 600 | 2003 - 2003 | 34 | 325 | 25,4 | 2.52 |
| Firecat F6 EXT & F7 EXT | 600 | 2004 - 2005 | 34 | 366 | 31,8 | 2.52 |
| M 6 / 141 | 600 | 2007 - 2007 | 38 | 358 | 57,2 | 3.00 |
| M 6 / 141 | 600 | 2005 - 2006 | 38 | 358 | 57,2 | 3.00 |
| M 6 / 153 | 600 | 2009 - 2011 | 38 | 389 | 57,2 | 3.00 |
| M 6 / 153 | 600 | 2007 - 2008 | 38 | 389 | 57,2 | 3.00 |
| M 6 / 153 | 600 | 2005 - 2006 | 38 | 389 | 57,2 | 3.00 |
| M 6000 153 | 600 | 2015 - 2015 | 38 | 389 | 57,2 | 3.00 |
| M 6000 Limited (153) & Limited ES (153) | 600 | 2016 - 2016 | 38 | 389 | 76,2 | 3.00 |
| M 6000 Sno Pro 153, Sno Pro (153) & Sno Pro ES (153) | 600 | 2015 - 2016 | 38 | 389 | 66 | 3.00 |
| M 6000 SE & SE ES (153) | 600 | 2016 - 2016 | 38 | 389 | 57,2 | 3.00 |
| M 6000 Sno Pro (141) & Sno Pro ES (141) | 600 | 2016 - 2016 | 38 | 358 | 66 | 3.00 |
| M 6000 SE (141) & SE ES (141) | 600 | 2016 - 2016 | 38 | 358 | 57,2 | 3.00 |
| Mountain Cat 600 / 136 (inc. EFI) | 600 | 2001 - 2003 | 38 | 345 | 50,8 | 2.52 |
| Mountain Cat 600 / 144 (inc. EFI) | 600 | 2002 - 2004 | 38 | 366 | 50,8 | 2.52 |
| Powder Special 600 & 700 | 600 | 1998 - 2000 | 38 | 345 | 50,8 | 2.52 |
| XF (all except Sno Pro High Country models) | 600 | 2012 - 2013 | 38 | 358 | 34,3 | 3.00 |
| XF High Country (all) 600,800,1049,1056 | 600 | 2016 - 2016 | 38 | 358 | 57,2 | 3.00 |
| XF High Country all inc. Limited & Sno Pro | 600 | 2014 - 2015 | 38 | 358 | 57,2 | 3.00 |
| ZR 6000 ET, Limited (129), LXR (129), RR, & Sno Pro (129) | 600 | 2016 - 2016 | 38 | 328 | 31,8 | 2.86 |
| ZR 6000 Limited (137), LXR (137) & Sno Pro (137) | 600 | 2016 - 2016 | 38 | 348 | 31,8 | 2.86 |
| T660 Turbo & Turbo LE | 660 | 2006 - 2007 | 38 | 307 | 31,8 | 2.52 |
| T660 Trail (inc. Turbo Trail & Turbo ST) | 660 | 2004 - 2005 | 38 | 307 | 25,4 | 2.52 |
| T660 Touring (inc. Turbo Touring & TT LE) | 660 | 2004 - 2007 | 38 | 345 | 25,4 | 2.52 |
| Crossfire (all except Sno Pro) | 700 | 2010 - 2010 | 38 | 358 | 31,8 | 3.00 |
| Crossfire (all except Crossfire R & Sno Pro) | 700 | 2009 - 2009 | 38 | 358 | 31,8 | 3.00 |
| Crossfire R (all including LE) | 700 | 2009 - 2009 | 36 | 325 | 2,54 | 2.52 |
| Crossfire Sno Pro (all) | 700 | 2009 - 2009 | 38 | 358 | 38,1 | 3.00 |
| Sabercat (all except Sabercat EXT) | 700 | 2005 - 2006 | 34 | 325 | 25,4 | 2.52 |
| Sabercat (all except Sabercat EXT) | 700 | 2004 - 2004 | 34 | 325 | 25,4 | 2.52 |
| Bearcat 3000 LT | 700 | 2016 - 2016 | 38 | 371 | 34,3 | 2.86 |
| Firecat F6 EXT & F7 EXT | 700 | 2004 - 2005 | 34 | 366 | 31,8 | 2.52 |
| M 7 / 141 | 700 | 2005 - 2006 | 38 | 358 | 57,2 | 3.00 |
| M 7 / 153 (all including Limited) | 700 | 2005 - 2006 | 38 | 389 | 57,2 | 3.00 |
| M 7 / 162 (all including Limited) | 700 | 2005 - 2006 | 38 | 411 | 57,2 | 3.00 |
| ZR 700 | 700 | 1995 - 1995 | 38 | 307 | 21,6 | 2.52 |
| Crossfire (all except Sno Pro) | 800 | 2010 - 2010 | 38 | 358 | 31,8 | 3.00 |
| Crossfire (all except Crossfire R & Sno Pro) | 800 | 2009 - 2009 | 38 | 358 | 31,8 | 3.00 |
| Crossfire R (all including LE) | 800 | 2009 - 2009 | 36 | 325 | 2,54 | 2.52 |
| Crossfire Sno Pro (all) | 800 | 2009 - 2009 | 38 | 358 | 38,1 | 3.00 |
| F series Sno Pro & Sno Pro Limited (all) | 800 | 2013 - 2013 | 38 | 328 | 31,8 | 2.86 |

| | | | | | | |
|---|------|-------------|----|-----|------|------|
| XF Sno Pro High Country (all) | 800 | 2012 - 2013 | 38 | 358 | 57,2 | 3.00 |
| XF (all except CrossTour, Cross Country & High Country) | 800 | 2015 - 2015 | 38 | 348 | 31,8 | 2.86 |
| CFR (800 & 1000) | 800 | 2010 - 2011 | 36 | 325 | 25,4 | 2.52 |
| Cougar Two-Up | 800 | 1992 - 1992 | 38 | 307 | | 2.52 |
| Crossfire | 800 | 2006 - 2006 | 38 | 345 | 31,8 | 2.52 |
| Crossfire 8 | 800 | 2011 - 2011 | 38 | 358 | 31,8 | 3.00 |
| Crossfire 8 Sno Pro (inc. Limited) | 800 | 2010 - 2011 | 38 | 358 | 38,1 | 3.00 |
| Crossfire 8 Sno Pro Limited - tall lug option | 800 | 2011 - 2011 | 38 | 358 | 57,2 | 3.00 |
| F 8 EXT | 800 | 2011 - 2011 | 38 | 366 | 31,8 | 2.52 |
| F 800 LXR (2-stroke) | 800 | 2013 - 2013 | 38 | 328 | 25,4 | 2.86 |
| F series (800 & 1100 Turbo) Sno Pro RR | 800 | 2013 - 2013 | 38 | 328 | 31,8 | 2.86 |
| Firecat Sno Pro (all) | 800 | 2005 - 2006 | 34 | 325 | 34,9 | 2.52 |
| Firecat (all except EXT) | 800 | 2004 - 2004 | 34 | 325 | 25,4 | 2.52 |
| Firecat (all) | 800 | 2003 - 2003 | 34 | 325 | 25,4 | 2.52 |
| M 8 / 141 | 800 | 2007 - 2007 | 38 | 358 | 57,2 | 3.00 |
| M 8 / 153 (inc. Sno Pro & Sno Pro Ltd.) | 800 | 2009 - 2011 | 38 | 389 | 57,2 | 3.00 |
| M 8 / 153 (all including Sno Pro & Limited) | 800 | 2007 - 2008 | 38 | 389 | 57,2 | 3.00 |
| M 8 / 162 (including Sno Pro) | 800 | 2009 - 2011 | 38 | 411 | 57,2 | 3.00 |
| M 8 / 162 | 800 | 2007 - 2008 | 38 | 411 | 57,2 | 3.00 |
| M8 HCR (Hill Climb Racer) | 800 | 2010 - 2011 | 38 | 389 | 57,2 | 3.00 |
| M 800 | 800 | 2012 - 2013 | 38 | 389 | 57,2 | 3.00 |
| M 800 HCR (Hill Climb Racer) | 800 | 2012 - 2012 | 38 | 389 | 57,2 | 3.00 |
| M 800 HCR (Hill Climb Racer) | 800 | 2013 - 2013 | 38 | 389 | 66 | 3.00 |
| M 800 Sno Pro / 153 | 800 | 2012 - 2012 | 38 | 389 | 57,2 | 3.00 |
| M 800 Sno Pro / 153 (including Limited) | 800 | 2013 - 2013 | 38 | 389 | 66 | 3.00 |
| M 800 Sno Pro / 162 | 800 | 2012 - 2012 | 38 | 411 | 57,2 | 3.00 |
| M 800 Sno Pro / 162 | 800 | 2013 - 2013 | 38 | 411 | 66 | 3.00 |
| M 8000 153 | 800 | 2014 - 2015 | 38 | 389 | 57,2 | 3.00 |
| M 8000 Limited (162) & Limited ES (162) | 800 | 2016 - 2016 | 38 | 411 | 76,2 | 3.00 |
| M 8000 Limited (153) & Limited ES (153) | 800 | 2016 - 2016 | 38 | 389 | 76,2 | 3.00 |
| M 8000 Limited, Limited ES, Sno Pro, McClure & Kincaid | 800 | 2014 - 2015 | 38 | 389 | 66 | 3.00 |
| M 8000 Limited, Limited ES & Sno Pro 162 | 800 | 2014 - 2015 | 38 | 411 | 66 | 3.00 |
| M 8000 HCR (Hill Climb Racer) 153 | 800 | 2014 - 2016 | 38 | 389 | 66 | 3.00 |
| M 8000 SE (153) & SE ES (153) | 800 | 2016 - 2016 | 38 | 389 | 57,2 | 3.00 |
| M 8000 SE (141) & SE ES (141) | 800 | 2016 - 2016 | 38 | 358 | 57,2 | 3.00 |
| M 8000 Sno Pro (162) & Sno Pro ES (162) | 800 | 2016 - 2016 | 38 | 411 | 66 | 3.00 |
| M 8000 Sno Pro (153) & Sno Pro ES (153) | 800 | 2016 - 2016 | 38 | 389 | 66 | 3.00 |
| M 8000 Sno Pro (141) & Sno Pro ES (141) | 800 | 2016 - 2016 | 38 | 358 | 66 | 3.00 |
| Mountain Cat 800 / 144 (inc. EFI) | 800 | 2001 - 2003 | 38 | 366 | 50,8 | 2.52 |
| Mountain Cat 800 / 151 (inc. EFI & LE) | 800 | 2002 - 2004 | 38 | 384 | 50,8 | 2.52 |
| Mountain Cat 800 / 159 (inc. EFI) | 800 | 2004 - 2004 | 38 | 404 | 50,8 | 2.52 |
| XF (all except Sno Pro High Country models) | 800 | 2012 - 2013 | 38 | 358 | 34,3 | 3.00 |
| XF High Country (all) 600,800,1049,1056 | 800 | 2016 - 2016 | 38 | 358 | 57,2 | 3.00 |
| XF High Country all inc. Limited & Sno Pro | 800 | 2014 - 2015 | 38 | 358 | 57,2 | 3.00 |
| ZR 800 & 800 EFI | 800 | 2002 - 2002 | 38 | 307 | 25,4 | 2.52 |
| ZR 8000 ET, Limited (129), LXR (129), RR, & Sno Pro (129) | 800 | 2016 - 2016 | 38 | 328 | 31,8 | 2.86 |
| ZR 8000 Limited (137), LXR (137) & Sno Pro (137) | 800 | 2016 - 2016 | 38 | 348 | 31,8 | 2.86 |
| Mountain Cat 900 / 144 | 900 | 2003 - 2003 | 38 | 366 | 50,8 | 2.52 |
| Mountain Cat 900 / 151 (inc. EFI) | 900 | 2003 - 2004 | 38 | 384 | 50,8 | 2.52 |
| Mountain Cat 900 / 159 (inc. EFI) | 900 | 2004 - 2004 | 38 | 404 | 50,8 | 2.52 |
| ZR 900 & 900 EFI | 900 | 2006 - 2006 | 38 | 307 | 34,9 | 2.52 |
| ZR 900 Sno Pro & 900 EFI Sno Pro | 900 | 2005 - 2005 | 38 | 307 | 34,9 | 2.52 |
| ZR 900 | 900 | 2005 - 2005 | 38 | 307 | 25,4 | 2.52 |
| M 1000 / 153 (all including Sno Pro) | 1000 | 2009 - 2009 | 38 | 389 | 57,2 | 3.00 |
| M 1000 / 153 (all including Sno Pro) | 1000 | 2007 - 2008 | 38 | 389 | 57,2 | 3.00 |
| M 1000 Sno Pro / 162 | 1000 | 2011 - 2011 | 38 | 411 | 57,2 | 3.00 |
| M 1000 / 162 (all including Sno Pro) | 1000 | 2009 - 2010 | 38 | 411 | 57,2 | 3.00 |
| M 1000 / 162 (all including Sno Pro) | 1000 | 2007 - 2008 | 38 | 411 | 57,2 | 3.00 |
| Pantera & Pantera Limited | 1049 | 2015 - 2015 | 38 | 371 | 31,8 | 2.86 |

| | | | | | | |
|---|------|-------------|----|-----|------|------|
| XF Sno Pro High Country (all) | 1049 | 2012 - 2013 | 38 | 358 | 57,2 | 3.00 |
| XF (all except CrossTour, Cross Country & High Country) | 1049 | 2015 - 2015 | 38 | 348 | 31,8 | 2.86 |
| Bearcat 7000 XT & XT Groomer Special | 1049 | 2016 - 2016 | 51 | 391 | 34,9 | 2.86 |
| M 7000 | 1049 | 2015 - 2015 | 38 | 389 | 66 | 3.00 |
| M 7000 Limited (162) | 1049 | 2016 - 2016 | 38 | 411 | 76,2 | 3.00 |
| M 7000 Limited (153) | 1049 | 2016 - 2016 | 38 | 389 | 76,2 | 3.00 |
| M 7000 Sno Pro (162) | 1049 | 2016 - 2016 | 38 | 411 | 66 | 3.00 |
| M 7000 Sno Pro (153) | 1049 | 2016 - 2016 | 38 | 389 | 66 | 3.00 |
| Pantera 7000 & Limited | 1049 | 2016 - 2016 | 38 | 371 | 31,8 | 2.86 |
| Pantera 7000 XT Limited | 1049 | 2016 - 2016 | 51 | 391 | 34,9 | 2.86 |
| XF (all except Sno Pro High Country models) | 1049 | 2012 - 2013 | 38 | 358 | 34,3 | 3.00 |
| XF 7000 CrossTour | 1049 | 2016 - 2016 | 38 | 371 | 31,8 | 2.86 |
| XF High Country (all) 600,800,1049,1056 | 1049 | 2016 - 2016 | 38 | 358 | 57,2 | 3.00 |
| XF High Country all inc. Limited & Sno Pro | 1049 | 2014 - 2015 | 38 | 358 | 57,2 | 3.00 |
| ZR 7000 ET, Limited (129), LXR (129), RR, & Sno Pro (129) | 1049 | 2016 - 2016 | 38 | 328 | 31,8 | 2.86 |
| ZR 7000 Limited (137), LXR (137), & Sno Pro (137) | 1049 | 2016 - 2016 | 38 | 348 | 31,8 | 2.86 |
| XF Sno Pro High Country (all) | 1056 | 2012 - 2013 | 38 | 358 | 57,2 | 3.00 |
| XF (all except CrossTour, Cross Country & High Country) | 1056 | 2015 - 2015 | 38 | 348 | 31,8 | 2.86 |
| Bearcat Z1 XT (including Limited) | 1056 | 2011 - 2014 | 51 | 391 | 34,9 | 2.86 |
| Bearcat Z1 XT | 1056 | 2009 - 2010 | 51 | 396 | 31,8 | 2.52 |
| Bearcat Z1 XT GS (Groomer Special) | 1056 | 2012 - 2013 | 51 | 396 | 31,8 | 2.52 |
| Bearcat Z1 XT GS (Groomer Special) | 1056 | 2014 - 2014 | 51 | 391 | 34,9 | 2.86 |
| Jaguar Z1 (4-stroke) | 1056 | 2008 - 2008 | 38 | 325 | 25,4 | 2.52 |
| Jaguar Z1 (4-stroke) | 1056 | 2006 - 2007 | 38 | 307 | 25,4 | 2.52 |
| M 9000 153 | 1056 | 2014 - 2014 | 38 | 389 | 57,2 | 3.00 |
| M 9000 Limited (162) | 1056 | 2016 - 2016 | 38 | 411 | 76,2 | 3.00 |
| M 9000 Limited & Sno Pro 162 | 1056 | 2014 - 2015 | 38 | 411 | 66 | 3.00 |
| M 9000 HCR (Hill Climb Racer) 162 | 1056 | 2014 - 2015 | 38 | 411 | 66 | 3.00 |
| M 9000 Sno Pro (162) | 1056 | 2016 - 2016 | 38 | 411 | 66 | 3.00 |
| TZ1 (4-stroke) | 1056 | 2011 - 2014 | 38 | 366 | 25,4 | 2.52 |
| TZ1 LXR | 1056 | 2012 - 2014 | 38 | 366 | 25,4 | 2.52 |
| TZ1 Turbo LXR | 1056 | 2012 - 2014 | 38 | 366 | 34,3 | 2.52 |
| TZ1 LXR & TZ1 LXR Turbo (4-stroke) | 1056 | 2011 - 2011 | 38 | 366 | 31,8 | 2.52 |
| T Z1 & T Z1 Turbo (4-stroke, all inc. LXR) | 1056 | 2008 - 2010 | 38 | 366 | 25,4 | 2.52 |
| XF (all except Sno Pro High Country models) | 1056 | 2012 - 2013 | 38 | 358 | 34,3 | 3.00 |
| XF High Country (all) 600,800,1049,1056 | 1056 | 2016 - 2016 | 38 | 358 | 57,2 | 3.00 |
| XF High Country all inc. Limited & Sno Pro | 1056 | 2014 - 2015 | 38 | 358 | 57,2 | 3.00 |
| Z1 (4-stroke, all except Turbo & Sno Pro) | 1056 | 2009 - 2010 | 38 | 325 | 25,4 | 2.52 |
| Z1 LXR (4-stroke) | 1056 | 2011 - 2011 | 38 | 325 | 25,4 | 2.52 |
| Z1 Sno Pro (4-stroke) | 1056 | 2011 - 2011 | 38 | 325 | 31,8 | 2.52 |
| Z1 Turbo EXT (4-stroke, inc. Limited) | 1056 | 2010 - 2011 | 38 | 366 | 31,8 | 2.52 |
| Z1 Turbo, Turbo LXR & Turbo Sno Pro (inc. Ltd.) | 1056 | 2010 - 2011 | 38 | 325 | 31,8 | 2.52 |
| Z1, Z1 LXR, & Z1 Turbo (4-stroke) | 1056 | 2009 - 2009 | 38 | 325 | 25,4 | 2.52 |
| Z1 Turbo LXR (4-stroke) | 1056 | 2009 - 2009 | 38 | 325 | 31,8 | 2.52 |
| ZR 5000 LXR & 4000 LXR | 1056 | 2015 - 2016 | 38 | 328 | 25,4 | 2.86 |
| ZR 9000 ET, Limited (129), RR, & Sno Pro (129) | 1056 | 2016 - 2016 | 38 | 328 | 31,8 | 2.86 |
| ZR 9000 Limited (137), LXR (137), & Sno Pro (137) | 1056 | 2016 - 2016 | 38 | 348 | 31,8 | 2.86 |
| F 1100 LXR (4-stroke) | 1100 | 2013 - 2013 | 38 | 328 | 25,4 | 2.86 |
| F 1100 Turbo LXR (4-stroke) | 1100 | 2013 - 2013 | 38 | 328 | 31,8 | 2.86 |
| F series Sno Pro (1100, 1000, 8, 6, & 5) & 1100 Turbo | 1100 | 2008 - 2012 | 38 | 325 | 31,8 | 2.52 |
| M 1100 & M 1100 Turbo | 1100 | 2012 - 2013 | 38 | 389 | 57,2 | 3.00 |
| M 1100 Sno Pro / 153 (all) | 1100 | 2012 - 2012 | 38 | 389 | 57,2 | 3.00 |
| M 1100 Sno Pro / 162 (all) | 1100 | 2012 - 2012 | 38 | 411 | 57,2 | 3.00 |
| M 1100 Sno Pro Turbo / 162 (4-stroke, inc. Limited) | 1100 | 2013 - 2013 | 38 | 411 | 66 | 3.00 |
| M 1100 Turbo HCR (Hill Climib Racer) | 1100 | 2012 - 2012 | 38 | 411 | 57,2 | 3.00 |
| M 1100 Turbo HCR (Hill Climib Racer, 4-stroke) | 1100 | 2013 - 2013 | 38 | 411 | 66 | 3.00 |
| | | | | | | |
| LYNX | | | | | | |

| Modell | CC | Årsmodell | Bredd cm | Längd cm | Kamhöjd mm | Delning tum |
|---|-----|-------------|----------|----------|------------|-------------|
| 6900 (all inc. FCE) | | 1996 - 2007 | 60 | 396 | | 2.52 |
| 5900 (all inc. FCE & ST) | | 1996 - 2003 | 50 | 396 | | 2.52 |
| Adventure LX 600 ACE (4-stroke) SilenDrive track option | | 2015 - 2016 | 38 | 348 | 25,4 | 2.86 |
| 69 Ranger Alpine | | 2013 - 2016 | 61 | 396 | 31,8 | 2.52 |
| 69 Yeti Army | | 2013 - 2014 | 51 | 396 | 31,8 | 2.52 |
| Adventure Grand Tourer | | 2009 - 2009 | 50 | 396 | 31,8 | 2.52 |
| Forest Fox & Forest Fox S | | 1997 - 2008 | 38 | 396 | 25,4 | 2.52 |
| G-Touring (all) | | 1998 - 2000 | 38 | 345 | | 2.52 |
| Light Touring LT | | 1998 - 1999 | 38 | 345 | | 2.52 |
| Ranger (all) | | 2006 - 2010 | 38 | 396 | 25,4 | 2.52 |
| Ranger & Ranger King (all) | | 1997 - 2002 | 38 | 396 | | 2.52 |
| Sport Touring (all) | | 2003 - 2004 | 38 | 345 | | 2.52 |
| Super Touring (all) | | 2001 - 2003 | 38 | 345 | | 2.52 |
| Adventure 300 | 300 | 2007 - 2007 | 38 | 345 | | 2.52 |
| GL 360 S | 360 | 1994 - 1994 | 38 | 396 | | 2.52 |
| Safari 400 | 400 | 2001 - 2006 | 38 | 345 | | 2.52 |
| Racing 440 | 440 | 1999 - 2004 | 38 | 307 | | 2.52 |
| Enduro 500 Special | 500 | 1999 - 1999 | 38 | 307 | | 2.52 |
| Explorer 500 & 550F | 500 | 2001 - 2005 | 38 | 345 | | 2.52 |
| Traveller 500 | 500 | 2001 - 2001 | 38 | 345 | | 2.52 |
| XR 500F | 500 | 2000 - 2000 | 38 | 307 | | 2.52 |
| 550 SUV | 550 | 2003 - 2003 | 51 | 396 | 31,8 | 2.52 |
| Adventure 550F & 600 | 550 | 2007 - 2009 | 38 | 365 | 31,8 | 2.52 |
| RAVE 550 | 550 | 2014 - 2014 | 38 | 305 | 31,8 | 2.86 |
| RAVE 550 | 550 | 2011 - 2013 | 38 | 305 | 25,4 | 2.86 |
| RAVE 550 | 550 | 2008 - 2009 | 38 | 307 | 31,8 | 2.52 |
| Xtrim 550, 550 PAC, 600 E-TEC, 600 ACE & 900 ACE | 550 | 2011 - 2016 | 41 | 370 | 39 | 2.86 |
| Xtrim 550 | 550 | 2010 - 2010 | 41 | 370 | 38,1 | 2.86 |
| Xtrim 550 | 550 | 2008 - 2009 | 38 | 365 | 31,8 | 2.52 |
| Yeti 550 | 550 | 2011 - 2011 | 50 | 396 | 31,8 | 2.52 |
| 59 Yeti 550 | 550 | 2012 - 2016 | 50 | 392 | 31,8 | 2.86 |
| GLS 3300 30th. Anniversary Very Limited Edition | 600 | 2013 - 2013 | 41 | 328 | 34,8 | 2.86 |
| Adventure (all) | 600 | 2005 - 2006 | 38 | 365 | | 2.52 |
| Adventure 600 ACE (4-stroke) | 600 | 2011 - 2011 | 38 | 348 | 25,4 | 2.86 |
| Adventure LX 600 ACE (4-stroke) | 600 | 2012 - 2016 | 38 | 349 | 34,3 | 2.86 |
| Adventure Grand Tourer 600 E-Tec, 900 ACE & 1200 4-Tec | 600 | 2012 - 2016 | 50 | 392 | 31,8 | 2.86 |
| Adventure Grand Tourer 600 E-Tec & 1200 4-Tec | 600 | 2011 - 2011 | 50 | 392 | 38,1 | 2.86 |
| Adventure Grand Tourer 600 E-Tec & 1200 4-Tec | 600 | 2010 - 2010 | 50 | 392 | 31,8 | 2.86 |
| BoonDocker 3700 600 E-Tec & 800R E-Tec | 600 | 2016 - 2016 | 41 | 371 | 63,5 | 2.86 |
| BoonDocker 3700 600 E-Tec & 800R E-Tec | 600 | 2013 - 2015 | 41 | 371 | 57,2 | 2.86 |
| BoonDocker 3900 600 E-Tec | 600 | 2016 - 2016 | 41 | 391 | 63,5 | 2.86 |
| BoonDocker 3900 600 E-Tec | 600 | 2014 - 2015 | 41 | 391 | 57,2 | 2.86 |
| Commander (all) | 600 | 2016 - 2016 | 51 | 391 | 44,5 | 2.86 |
| Ranger (all except 600 & Mountain 800) | 600 | 2003 - 2005 | 38 | 396 | | 2.52 |
| Ranger 600 | 600 | 2004 - 2005 | 38 | 365 | | 2.52 |
| 49 Ranger 600 ACE (4-stroke) | 600 | 2015 - 2016 | 41 | 414 | 38,1 | 2.86 |
| 49 Ranger 600 ACE (4-stroke) | 600 | 2012 - 2014 | 41 | 392 | 38,1 | 2.86 |
| 49 Ranger 600 E-Tec | 600 | 2015 - 2016 | 41 | 414 | 58,4 | 2.86 |
| 49 Ranger 600 E-Tec | 600 | 2013 - 2014 | 41 | 391 | 50,8 | 2.86 |
| 49 Ranger 600 E-Tec | 600 | 2011 - 2012 | 41 | 392 | 39 | 2.86 |
| RAVE (all) | 600 | 2000 - 2007 | 38 | 307 | | 2.52 |
| RAVE 600 ACE (4-stroke) | 600 | 2015 - 2016 | 38 | 328 | 34,3 | 2.86 |
| RAVE 600 ACE (4-stroke) | 600 | 2014 - 2014 | 38 | 305 | 31,8 | 2.86 |
| RAVE 600 ACE (4-stroke) | 600 | 2012 - 2013 | 38 | 305 | 25,4 | 2.86 |
| RAVE 600 E-Tec | 600 | 2015 - 2016 | 38 | 328 | 34,3 | 2.86 |
| RAVE RE 600 E-Tec | 600 | 2015 - 2016 | 38 | 328 | 34,3 | 2.86 |
| RAVE RE 600 E-Tec track option | 600 | 2015 - 2016 | 38 | 328 | 38,1 | 2.86 |
| RAVE RE 600 E-Tec | 600 | 2014 - 2014 | 38 | 305 | 34,3 | 2.86 |

| | | | | | | |
|---|------|-------------|----|-----|------|------|
| RAVE RE 600 E-Tec & 800 E-Tec | 600 | 2012 - 2012 | 38 | 327 | 38,1 | 2.86 |
| RAVE RE 600 E-Tec & 800 E-Tec | 600 | 2011 - 2011 | 38 | 305 | 38,1 | 2.86 |
| RAVE SC 600 E-Tec | 600 | 2011 - 2012 | 38 | 305 | 31,8 | 2.86 |
| RAVE RE 600 E-Tec | 600 | 2013 - 2013 | 38 | 328 | 38,1 | 2.86 |
| RAVE 600 | 600 | 2010 - 2010 | 38 | 308 | 31,8 | 2.52 |
| RAVE 600 RS | 600 | 2009 - 2009 | 38 | 305 | 31,8 | 2.86 |
| ST 600 & 550 | 600 | 2002 - 2007 | 50 | 396 | | 2.52 |
| Sport Touring 600 SDI | 600 | 2005 - 2005 | 38 | 365 | | 2.52 |
| Xtrim (all except Xtrim Commander) | 600 | 2010 - 2010 | 41 | 370 | 38,1 | 2.86 |
| Xtrim | 600 | 2006 - 2007 | 38 | 365 | | 2.52 |
| Xtrim 550, 550 PAC, 600 E-TEC, 600 ACE & 900 ACE | 600 | 2011 - 2016 | 41 | 370 | 39 | 2.86 |
| Xtrim SC 600 E-Tec, 600 ACE (4-stroke) & 900 ACE (4- | 600 | 2013 - 2015 | 41 | 371 | 39,1 | 2.86 |
| Xtrim SC 600 HO E-Tec & 600 SDI | 600 | 2008 - 2009 | 38 | 365 | 38,1 | 2.52 |
| Xtrim Commander 600 E-Tec (inc. LTD.) | 600 | 2011 - 2012 | 50 | 392 | 38,1 | 2.86 |
| Xtrim Commander 600 (inc. SDI) | 600 | 2009 - 2010 | 50 | 392 | 38,1 | 2.86 |
| Xtrim Commander 600 | 600 | 2009 - 2009 | 50 | 396 | 31,8 | 2.52 |
| Xtrim Commander 600 E-Tec & 800 E-Tec | 600 | 2013 - 2015 | 51 | 391 | 44,5 | 2.86 |
| Xtrim Commander Limited 600 E-Tec | 600 | 2014 - 2015 | 51 | 391 | 44,5 | 2.86 |
| Xtrim Commander Limited 600 E-Tec | 600 | 2013 - 2013 | 51 | 391 | 38,1 | 2.86 |
| 59 Yeti 600 ACE (4-stroke) | 600 | 2011 - 2016 | 50 | 392 | 31,8 | 2.86 |
| 69 Yeti 600 ACE & 900 ACE (4-stroke) | 600 | 2012 - 2016 | 60 | 396 | 31,8 | 2.52 |
| 69 Yeti Army 600 E-TEC | 600 | 2015 - 2016 | 61 | 396 | 31,8 | 2.52 |
| GLS 3300 30th. Anniversary Very Limited Edition | 800 | 2013 - 2013 | 41 | 328 | 34,8 | 2.86 |
| Adventure (all) | 800 | 2005 - 2006 | 38 | 365 | | 2.52 |
| Adventure V-800 (4-stroke) | 800 | 2008 - 2010 | 41 | 345 | 31,8 | 2.52 |
| Adventure V-800 (4-stroke) | 800 | 2007 - 2007 | 38 | 345 | | 2.52 |
| BoonDocker RE 3700 800R E-Tec | 800 | 2016 - 2016 | 41 | 371 | 76,2 | 2.86 |
| BoonDocker DS 3900 800R E-Tec | 800 | 2016 - 2016 | 41 | 391 | 76,2 | 2.86 |
| BoonDocker DS 3900 800R E-Tec | 800 | 2014 - 2015 | 41 | 391 | 63,5 | 2.86 |
| BoonDocker DS 4100 800R E-Tec | 800 | 2016 - 2016 | 41 | 414 | 76,2 | 3.00 |
| BoonDocker 3900 800R E-Tec | 800 | 2016 - 2016 | 41 | 391 | 63,5 | 2.86 |
| BoonDocker 3900 800R E-Tec | 800 | 2013 - 2013 | 41 | 371 | 57,2 | 2.86 |
| Commander (all) | 800 | 2016 - 2016 | 51 | 391 | 44,5 | 2.86 |
| Mountain 800 | 800 | 2004 - 2004 | 38 | 396 | | 2.52 |
| Ranger Mountain 800 | 800 | 2003 - 2003 | 38 | 365 | 50,8 | 2.52 |
| RAVE (all except 600) | 800 | 2010 - 2010 | 38 | 305 | 38,1 | 2.86 |
| RAVE (all except 550 & 600 RS) | 800 | 2009 - 2009 | 38 | 307 | 38,1 | 2.52 |
| RAVE (all except 550) | 800 | 2008 - 2008 | 38 | 307 | 38,1 | 2.52 |
| RAVE (all) | 800 | 2000 - 2007 | 38 | 307 | | 2.52 |
| RAVE RE 800 E-Tec | 800 | 2015 - 2016 | 38 | 328 | 38,1 | 2.86 |
| RAVE RE 800 E-Tec track option | 800 | 2015 - 2016 | 41 | 328 | 44,5 | 2.86 |
| RAVE RE 800R E-Tec | 800 | 2014 - 2014 | 38 | 305 | 38,1 | 2.86 |
| RAVE RE 800R E-Tec | 800 | 2013 - 2013 | 41 | 328 | 43,9 | 2.86 |
| Xtrim (all except Xtrim Commander) | 800 | 2010 - 2010 | 41 | 370 | 38,1 | 2.86 |
| Xtrim | 800 | 2006 - 2007 | 38 | 365 | | 2.52 |
| Xtrim 800 RE | 800 | 2016 - 2016 | 38 | 348 | 44,5 | 2.86 |
| Xtrim 800 RE track option | 800 | 2016 - 2016 | 38 | 348 | 57,2 | 2.86 |
| Xtrim SC 800 PowerTek & 800R PowerTek | 800 | 2008 - 2009 | 38 | 365 | 38,1 | 2.52 |
| Xtrim Boondocker 800R E-Tec | 800 | 2011 - 2012 | 38 | 370 | 44,5 | 2.86 |
| Yeti (all inc. 59 Yeti except Yeti PRO V-800) | 800 | 2004 - 2010 | 50 | 396 | 31,8 | 2.52 |
| Yeti PRO V-800 (4-stroke) | 800 | 2009 - 2010 | 60 | 396 | 31,8 | 2.52 |
| Yeti PRO V-800 (4-stroke) | 800 | 2007 - 2008 | 60 | 396 | 23,1 | 2.52 |
| Adventure (all) | 900 | 2005 - 2006 | 38 | 365 | | 2.52 |
| 49 Ranger 900 ACE (4-stroke) | 900 | 2016 - 2016 | 41 | 414 | 38,1 | 2.86 |
| Xtrim 550, 550 PAC, 600 E-TEC, 600 ACE & 900 ACE | 900 | 2011 - 2016 | 41 | 370 | 39 | 2.86 |
| Touring V-1000 (4-stroke) | 1000 | 2005 - 2005 | 38 | 396 | | 2.52 |
| 6900 (all inc. FCE) | | 1996 - 2007 | 60 | 396 | | 2.52 |
| 5900 (all inc. FCE & ST) | | 1996 - 2003 | 50 | 396 | | 2.52 |
| Adventure LX 600 ACE (4-stroke) SilenDrive track option | | 2015 - 2016 | 38 | 348 | 25,4 | 2.86 |

| | | | | | | |
|----------------------------|--|-------------|----|-----|------|------|
| 69 Ranger Alpine | | 2013 - 2016 | 61 | 396 | 31,8 | 2.52 |
| 69 Yeti Army | | 2013 - 2014 | 51 | 396 | 31,8 | 2.52 |
| Adventure Grand Tourer | | 2009 - 2009 | 50 | 396 | 31,8 | 2.52 |
| Forest Fox & Forest Fox S | | 1997 - 2008 | 38 | 396 | 25,4 | 2.52 |
| G-Touring (all) | | 1998 - 2000 | 38 | 345 | | 2.52 |
| Light Touring LT | | 1998 - 1999 | 38 | 345 | | 2.52 |
| Ranger (all) | | 2006 - 2010 | 38 | 396 | 25,4 | 2.52 |
| Ranger & Ranger King (all) | | 1997 - 2002 | 38 | 396 | | 2.52 |
| Sport Touring (all) | | 2003 - 2004 | 38 | 345 | | 2.52 |
| Super Touring (all) | | 2001 - 2003 | 38 | 345 | | 2.52 |

POLARIS

| Modell | CC | Årsmodell | Bredd cm | Längd cm | Kamhöjd mm | Delning tum |
|--|-----|-------------|----------|----------|------------|-------------|
| Trail (inc. ES, 86 HHP & 87 SP) | | 1983 - 1999 | 38 | 307 | 20,8 | 2.52 |
| XC SP all except 99 500 & 120 | | 2000 - 2002 | 38 | 307 | 23,1 | 2.52 |
| Edge Touring (all) | | 2004 - 2005 | 38 | 345 | 25,4 | 2.52 |
| Indy Lite (inc. Deluxe) | | 1993 - 1998 | 38 | 307 | 16,7 | 2.52 |
| Indy Lite GT & Indy Lite Touring | | 1996 - 1998 | 38 | 339 | 20,8 | 2.52 |
| Indy Lite GT & Indy Lite Touring | | 1991 - 1995 | 38 | 339 | 18,4 | 2.52 |
| Indy StarLite | | 1993 - 1995 | 38 | 307 | 16,7 | 2.52 |
| Indy SuperTrak (inc. Trail SuperTrak) | | 1989 - 1992 | 38 | 396 | | 2.52 |
| SKS (all) | | 2003 - 2003 | 38 | 366 | 31,8 | 2.52 |
| SKS (all) | | 1999 - 2002 | 38 | 345 | 31,8 | 2.52 |
| Sport | | 1987 - 1999 | 38 | 307 | 17,8 | 2.52 |
| Sport Touring (all) | | 2000 - 2004 | 38 | 345 | 25,4 | 2.52 |
| SS | | 1985 - 1986 | 38 | 307 | | 2.52 |
| Star | | 1983 - 1990 | 38 | 274 | | 2.52 |
| Trail Deluxe | | 1987 - 1989 | 38 | 307 | | 2.52 |
| Trail RMK (inc. Fleet models) | | 1999 - 2011 | 38 | 345 | 31,8 | 2.52 |
| Trail Touring (inc. Deluxe & Fleet) | | 2004 - 2010 | 38 | 345 | 25,4 | 2.52 |
| Triumph | | 2000 - 2000 | 38 | 307 | 20,8 | 2.52 |
| Ultra (inc. SP, SPX & SPX SE) | | 1996 - 1998 | 38 | 307 | 20,8 | 2.52 |
| Vertical Escape | | 2003 - 2003 | 38 | 404 | 50,8 | 2.52 |
| WideTrak LX | | 1994 - 2007 | 51 | 396 | 25,4 | 2.52 |
| WideTrak | | 1990 - 1993 | 51 | 396 | | 2.52 |
| XCF SP | | 2001 - 2002 | 38 | 307 | 20,8 | 2.52 |
| XCF | | 1997 - 1999 | 38 | 307 | 18,4 | 2.52 |
| XLT (inc. Classic, Special & Limited) | | 1997 - 1999 | 38 | 307 | 20,8 | 2.52 |
| XLT (inc. Special) | | 1996 - 1996 | 38 | 307 | 25,4 | 2.52 |
| XLT (inc. Special) | | 1993 - 1995 | 38 | 307 | 20,8 | 2.52 |
| XLT Xtra | | 1994 - 1994 | 38 | 307 | 19,1 | 2.52 |
| 340 & 340 LX | 340 | 2008 - 2008 | 38 | 307 | 20,8 | 2.52 |
| 340 LX | 340 | 2007 - 2007 | 38 | 307 | 16,8 | 2.52 |
| 340 Touring | 340 | 2004 - 2007 | 38 | 345 | 25,4 | 2.52 |
| Indy 340 (Edge chassis) | 340 | 2003 - 2004 | 38 | 307 | 25,4 | 2.52 |
| Indy 340 (inc. Deluxe) | 340 | 1999 - 2002 | 38 | 307 | 20,8 | 2.52 |
| TranSport (all) | 340 | 2008 - 2009 | 38 | 345 | 31,8 | 2.52 |
| Indy 400 (inc. 88 Classic 400) | 400 | 1985 - 1991 | 38 | 307 | | 2.52 |
| Indy 440 | 440 | 1997 - 1998 | 38 | 307 | 20,8 | 2.52 |
| Indy 440 | 440 | 1992 - 1996 | 38 | 307 | 18,4 | 2.52 |
| XC 440 | 440 | 1997 - 1997 | 38 | 307 | 20,8 | 2.52 |
| XCR 440 | 440 | 1993 - 1999 | 38 | 307 | 20,8 | 2.52 |
| Classic 500 | 500 | 1993 - 1995 | 38 | 307 | 18,4 | 2.52 |
| Classic 500 | 500 | 1989 - 1991 | 38 | 307 | | 2.52 |
| Indy 500 (inc. EFI & SP) see Classic 500 above | 500 | 1989 - 2006 | 38 | 307 | 20,8 | 2.52 |
| Indy 500 (inc. EFI & SP) see Classic 500 above | 500 | 1989 - 1995 | 38 | 307 | 18,4 | 2.52 |
| Indy 500 triple (Centurion) | 500 | 1981 - 1982 | 38 | 307 | | 2.52 |
| RMK 500 / 136 (inc. EFI) | 500 | 2000 - 2002 | 38 | 345 | 38,1 | 2.52 |

| | | | | | | |
|--|-----|-------------|----|-----|------|------|
| WideTrak LX (all) | 500 | 2008 - 2016 | 51 | 396 | 25,4 | 2.52 |
| XC 500 | 500 | 1999 - 2003 | 38 | 307 | 20,8 | 2.52 |
| XC SP 500 | 500 | 2006 - 2007 | 38 | 307 | 23,1 | 2.52 |
| SC SP 500 | 500 | 1999 - 1999 | 38 | 307 | 20,8 | 2.52 |
| 550 Indy | 550 | 2014 - 2016 | 38 | 307 | 23,1 | 2.52 |
| 550 Indy 144 | 550 | 2016 - 2016 | 38 | 366 | 34,3 | 2.52 |
| 550 LX | 550 | 2007 - 2008 | 38 | 307 | 20,8 | 2.52 |
| 550 IQ LXT | 550 | 2011 - 2013 | 38 | 345 | 25,4 | 2.52 |
| 550 IQ Shift (inc. ES) | 550 | 2009 - 2013 | 38 | 307 | 23,1 | 2.52 |
| 550 Shift 136 | 550 | 2011 - 2013 | 38 | 345 | 31,8 | 2.52 |
| 550 IQ Shift (Canada only) | 550 | 2013 - 2013 | 38 | 345 | 34,3 | 2.52 |
| Indy 550 | 550 | 2014 - 2015 | 38 | 307 | 23,1 | 2.52 |
| Indy 550 144 & Indy 550 Adventure 144 | 550 | 2014 - 2016 | 38 | 366 | 34,3 | 2.52 |
| Indy 550 Adventure 155 | 550 | 2015 - 2016 | 38 | 394 | 40,6 | 2.86 |
| Indy 550 LXT | 550 | 2014 - 2016 | 38 | 366 | 25,4 | 2.52 |
| Indy 550 Voyager 155 | 550 | 2015 - 2016 | 38 | 394 | 40,6 | 2.86 |
| Indy 550 Voyager 144 | 550 | 2014 - 2016 | 38 | 366 | 34,3 | 2.52 |
| IQ Shift (also see 550 IQ & 600 IQ above) | 550 | 2008 - 2010 | 38 | 307 | 23,1 | 2.52 |
| IQ LXT | 550 | 2014 - 2014 | 38 | 345 | 25,4 | 2.52 |
| Pro X 550 fan / 440 fan | 550 | 2003 - 2004 | 38 | 307 | 20,8 | 2.52 |
| Super Sport (all except 06 with M-10) | 550 | 1994 - 2008 | 38 | 307 | 20,8 | 2.52 |
| Super Sport M-10 | 550 | 2006 - 2006 | 38 | 307 | 25,4 | 2.52 |
| 600 Dragon IQ (including SP) | 600 | 2008 - 2009 | 38 | 307 | 31,8 | 2.52 |
| 600 HO IQ (inc. CFI) | 600 | 2007 - 2007 | 38 | 307 | 25,4 | 2.52 |
| 600 HO IQ LX CFI (M-10 suspension) | 600 | 2007 - 2008 | 38 | 325 | 25,4 | 2.52 |
| 600 HO IQ Touring | 600 | 2009 - 2010 | 38 | 345 | 25,4 | 2.52 |
| 600 Indy | 600 | 2013 - 2016 | 38 | 307 | 23,1 | 2.52 |
| 600 Indy SP | 600 | 2013 - 2016 | 38 | 307 | 25,4 | 2.52 |
| 600 IQ (inc. ES) | 600 | 2009 - 2010 | 38 | 307 | 25,4 | 2.52 |
| 600 IQ LXT | 600 | 2011 - 2015 | 38 | 345 | 25,4 | 2.52 |
| 600 IQ Shift (inc. ES) | 600 | 2011 - 2012 | 38 | 307 | 23,1 | 2.52 |
| 600 IQ Shift (see also IQ Shift below) | 600 | 2009 - 2010 | 38 | 307 | 23,1 | 2.52 |
| 600 IQ Shift 136 | 600 | 2009 - 2009 | 38 | 345 | 25,4 | 2.52 |
| 600 Shift 136 | 600 | 2011 - 2011 | 38 | 345 | 31,8 | 2.52 |
| 600 IQ Touring | 600 | 2008 - 2009 | 38 | 345 | 25,4 | 2.52 |
| 600 LX | 600 | 2010 - 2010 | 38 | 345 | 25,4 | 2.52 |
| Fusion (all) | 600 | 2005 - 2006 | 38 | 307 | 31,8 | 2.52 |
| Indy 600 | 600 | 2014 - 2015 | 38 | 307 | 23,1 | 2.52 |
| Indy 600 SP & 800 SP | 600 | 2014 - 2015 | 38 | 307 | 25,4 | 2.52 |
| Indy 600 (inc. SE & LE) | 600 | 1983 - 1987 | 38 | 307 | | 2.52 |
| Indy 600 Voyager | 600 | 2014 - 2016 | 38 | 366 | 50,8 | 2.52 |
| Pro X 600, 700 & 800 | 600 | 2003 - 2004 | 38 | 307 | 25,4 | 2.52 |
| Pro X2 (600, 700, 800) | 600 | 2004 - 2004 | 38 | 307 | 31,8 | 2.52 |
| Pro RMK 600 155 | 600 | 2016 - 2016 | 38 | 394 | 61 | 2.86 |
| RMK 600 / 136 | 600 | 2000 - 2002 | 38 | 345 | 44,5 | 2.52 |
| RMK 600 / 136 | 600 | 1999 - 1999 | 38 | 345 | 50,8 | 2.52 |
| RMK 600 / 136 | 600 | 1998 - 1998 | 38 | 345 | 44,5 | 2.52 |
| RMK 600 / 136 | 600 | 1997 - 1997 | 38 | 345 | 38,1 | 2.52 |
| RMK 600 / 144 | 600 | 2011 - 2016 | 38 | 366 | 50,8 | 2.86 |
| RMK 600 (inc. Pro, Dragon, ES, HO & Shift) / 155 | 600 | 2007 - 2016 | 38 | 394 | 61 | 2.86 |
| Rush 600 & Rush 600 ES | 600 | 2010 - 2010 | 38 | 305 | 31,8 | 2.86 |
| Switchback 600 Assault & 800 Assault | 600 | 2016 - 2016 | 38 | 366 | 34,3 | 2.86 |
| Switchback 600 Assault& 800 Assault track option | 600 | 2016 - 2016 | 38 | 366 | 50,8 | 2.86 |
| Switchback 600 & 800 Assault | 600 | 2011 - 2015 | 38 | 366 | 34,3 | 2.52 |
| Switchback (all) | 600 | 2004 - 2007 | 38 | 366 | 31,8 | 2.52 |
| Switchback Adventure 600 & 800 | 600 | 2015 - 2016 | 38 | 348 | 34,3 | 2.86 |
| Switchback Adventure 600 & 800 | 600 | 2012 - 2014 | 38 | 345 | 34,3 | 2.52 |
| Touring 600 & 700 | 600 | 2006 - 2006 | 38 | 345 | 25,4 | 2.52 |
| WideTrak IQ (all) | 600 | 2009 - 2016 | 51 | 396 | 31,8 | 2.52 |

| | | | | | | |
|---|-----|-------------|----|-----|------|------|
| XC SP 600 50th Anniversary Edition | 600 | 2005 - 2005 | 38 | 307 | 31,8 | 2.52 |
| XC SP 600 & 500 | 600 | 2003 - 2004 | 38 | 307 | 23,1 | 2.52 |
| XCR 600 (all) | 600 | 1995 - 1998 | 38 | 307 | 20,8 | 2.52 |
| XCR 600 | 600 | 1994 - 1994 | 38 | 307 | 18,4 | 2.52 |
| Indy 650 | 650 | 1988 - 1992 | 38 | 307 | | 2.52 |
| RXL | 650 | 1998 - 1998 | 38 | 307 | 20,8 | 2.52 |
| RXL (except RXL Touring) | 650 | 1995 - 1995 | 38 | 307 | 18,4 | 2.52 |
| RXL | 650 | 1990 - 1993 | 38 | 307 | | 2.52 |
| 700 Dragon IQ | 700 | 2008 - 2008 | 38 | 307 | 31,8 | 2.52 |
| 700 IQ | 700 | 2008 - 2008 | 38 | 307 | 25,4 | 2.52 |
| Classic 700 (M-10 suspension) | 700 | 2006 - 2006 | 38 | 325 | 31,8 | 2.52 |
| Classic (all ex. 06 700, some w/M-10 susp.) | 700 | 1996 - 2006 | 38 | 307 | 20,8 | 2.52 |
| Classic Touring 700 | 700 | 2003 - 2003 | 38 | 345 | 25,4 | 2.52 |
| Dragon 700 | 700 | 2007 - 2007 | 38 | 307 | 31,8 | 2.52 |
| Dragon RMK 700 | 700 | 2007 - 2007 | 38 | 394 | 61 | 2.86 |
| Pro X2 (600, 700, 800) | 700 | 2004 - 2004 | 38 | 307 | 31,8 | 2.52 |
| RMK 700 (inc. 09 Dragon & ES) / 155 | 700 | 2008 - 2009 | 38 | 394 | 61 | 2.86 |
| RMK 700 / 163 | 700 | 2008 - 2008 | 38 | 414 | 61 | 2.86 |
| RMK 700 / 155 (inc. RMK 700 Shift /155) | 700 | 2008 - 2009 | 38 | 394 | 61 | 2.86 |
| RMK 700 / 159 | 700 | 2006 - 2006 | 38 | 404 | 61 | 2.52 |
| RMK 700 / 151 | 700 | 2003 - 2006 | 38 | 384 | 50,8 | 2.52 |
| RMK 700 / 144 | 700 | 2001 - 2006 | 38 | 366 | 50,8 | 2.52 |
| RMK 700 / 136 | 700 | 2000 - 2002 | 38 | 345 | 44,5 | 2.52 |
| SKS 700 | 700 | 1997 - 1997 | 38 | 345 | 25,4 | 2.52 |
| XC 700 & 600 (inc. Deluxe) | 700 | 1998 - 2000 | 38 | 307 | 23,1 | 2.52 |
| XCR 700 | 700 | 1999 - 1999 | 38 | 307 | 23,1 | 2.52 |
| XCR 700 | 700 | 1998 - 1998 | 38 | 307 | 20,8 | 2.52 |
| IQ Turbo LX (M-10 suspension) | 750 | 2008 - 2008 | 38 | 325 | 25,4 | 2.52 |
| IQ Cruiser (see also FST IQ Cruiser) | 750 | 2008 - 2008 | 38 | 345 | 25,4 | 2.52 |
| IQ Turbo Dragon | 750 | 2008 - 2010 | 38 | 307 | 31,8 | 2.52 |
| FS Classic (M-10 suspension) | 750 | 2006 - 2006 | 38 | 325 | 31,8 | 2.52 |
| FS IQ Touring | 750 | 2006 - 2009 | 38 | 345 | 25,4 | 2.52 |
| FST Classic (M-10 suspension) | 750 | 2006 - 2006 | 38 | 325 | 31,8 | 2.52 |
| FST IQ | 750 | 2007 - 2007 | 38 | 307 | 31,8 | 2.52 |
| FST IQ Cruiser (see also IQ Cruiser) | 750 | 2007 - 2007 | 38 | 345 | 25,4 | 2.52 |
| FST IQ LX (M-10 suspension) | 750 | 2007 - 2007 | 38 | 325 | 25,4 | 2.52 |
| FST IQ Touring | 750 | 2006 - 2010 | 38 | 345 | 25,4 | 2.52 |
| Turbo IQ | 750 | 2011 - 2012 | 38 | 307 | 31,8 | 2.52 |
| Turbo IQ LX & LXT | 750 | 2011 - 2014 | 38 | 345 | 25,4 | 2.52 |
| Turbo LX | 750 | 2010 - 2010 | 38 | 345 | 25,4 | 2.52 |
| 800 Dragon IQ (including ES & SP) | 800 | 2008 - 2010 | 38 | 307 | 31,8 | 2.52 |
| 800 Indy 50th Anniversary LE | 800 | 2015 - 2015 | 38 | 307 | 31,8 | 2.52 |
| 800 Indy SP | 800 | 2014 - 2016 | 38 | 307 | 25,4 | 2.52 |
| 800 Indy SP Terrain Dominator LE | 800 | 2016 - 2016 | 38 | 307 | 31,8 | 2.52 |
| 800 IQ (inc. ES) | 800 | 2009 - 2010 | 38 | 307 | 25,4 | 2.52 |
| 800 LE | 800 | 2001 - 2001 | 38 | 307 | 23,1 | 2.52 |
| Frontier Classic (4-stroke) | 800 | 2003 - 2004 | 38 | 307 | 25,4 | 2.52 |
| Frontier Touring (4-stroke) | 800 | 2003 - 2005 | 38 | 345 | 25,4 | 2.52 |
| Pro X2 (600, 700, 800) | 800 | 2004 - 2004 | 38 | 307 | 31,8 | 2.52 |
| Pro XR 800 | 800 | 2004 - 2004 | 36 | 307 | 34,9 | 2.52 |
| Pro RMK 800 163 | 800 | 2016 - 2016 | 38 | 414 | 66 | 2.86 |
| Pro RMK 800 163 3-inch | 800 | 2016 - 2016 | 38 | 414 | 76,2 | 3.00 |
| Pro RMK 800 / 163 | 800 | 2015 - 2015 | 38 | 414 | 61 | 2.86 |
| Pro RMK 800 155 | 800 | 2016 - 2016 | 38 | 394 | 66 | 2.86 |
| Pro RMK 800 155 3-inch | 800 | 2016 - 2016 | 38 | 394 | 76,2 | 2.86 |
| Pro RMK 800 / 155 & Pro RMK 600 / 155 | 800 | 2015 - 2015 | 38 | 394 | 61 | 2.86 |
| RMK 800 (inc. Pro, Dragon & ES) / 155 | 800 | 2008 - 2016 | 38 | 394 | 61 | 2.86 |
| RMK 800 / 156 | 800 | 2002 - 2002 | 38 | 396 | 50,8 | 2.52 |
| RMK 800 (inc. Pro, Dragon & ES) / 163 | 800 | 2008 - 2014 | 38 | 414 | 61 | 2.86 |

| | | | | | | |
|---|-----|-------------|----|-----|------|------|
| RMK 800 Assault / 146 | 800 | 2009 - 2010 | 38 | 371 | 54 | 2.86 |
| RMK 800 Assault 155 3-inch | 800 | 2016 - 2016 | 38 | 394 | 76,2 | 2.86 |
| RMK 800 Assault 155 | 800 | 2016 - 2016 | 38 | 394 | 57,2 | 2.86 |
| RMK 800 Assault 155 track option | 800 | 2016 - 2016 | 38 | 394 | 66 | 2.86 |
| RMK 800 Assault / 155 | 800 | 2011 - 2015 | 38 | 394 | 54 | 2.86 |
| RMK 800 / 159 | 800 | 2004 - 2005 | 38 | 404 | 50,8 | 2.52 |
| RMK 800 / 151 (inc. 02 Snow Check Special) | 800 | 2001 - 2005 | 38 | 384 | 50,8 | 2.52 |
| RMK 800 / 144 | 800 | 2001 - 2005 | 38 | 366 | 50,8 | 2.52 |
| RMK 800 / 136 | 800 | 2000 - 2000 | 38 | 345 | 50,8 | 2.52 |
| Rush 800, 600 & 600 LX | 800 | 2011 - 2013 | 38 | 307 | 25,4 | 2.52 |
| Rush Pro-R 800 & 600 | 800 | 2011 - 2014 | 38 | 307 | 31,8 | 2.52 |
| Rush Pro-R LE | 800 | 2012 - 2012 | 38 | 307 | 34,3 | 2.52 |
| Rush Pro-S 800 Limited Edition | 800 | 2016 - 2016 | 38 | 305 | 34,3 | 2.86 |
| Rush Pro-S 800 & Rush Pro-S 600 | 800 | 2015 - 2016 | 38 | 305 | 31,8 | 2.86 |
| Rush Pro-X 800 | 800 | 2016 - 2016 | 38 | 305 | 31,8 | 2.86 |
| Rush Pro-X 800 track option | 800 | 2016 - 2016 | 38 | 305 | 34,3 | 2.86 |
| Rush Pro-X 800 track option | 800 | 2016 - 2016 | 38 | 305 | 44,5 | 2.86 |
| Rush Pro-X 800 | 800 | 2015 - 2015 | 38 | 305 | 44,5 | 2.86 |
| SKS 800 155 | 800 | 2016 - 2016 | 38 | 394 | 61 | 2.86 |
| Storm (except SE) | 800 | 1997 - 1998 | 38 | 307 | 20,8 | 2.52 |
| Storm SE | 800 | 1997 - 1997 | 38 | 307 | 18,4 | 2.52 |
| Storm (inc. LE) | 800 | 1996 - 1996 | 38 | 307 | 23,1 | 2.52 |
| Storm (inc. LE) | 800 | 1993 - 1995 | 38 | 307 | 18,4 | 2.52 |
| Switchback 800 Assault Terrain Dominator LE | 800 | 2016 - 2016 | 38 | 366 | 34,3 | 2.86 |
| Switchback 800, 600, Dragon, ES & Turbo | 800 | 2008 - 2014 | 38 | 345 | 31,8 | 2.52 |
| Switchback (all) | 800 | 2004 - 2007 | 38 | 366 | 31,8 | 2.52 |
| Switchback Pro-R (800 & 600) | 800 | 2012 - 2014 | 38 | 345 | 34,3 | 2.52 |
| Switchback Pro-S 800 & 600 | 800 | 2015 - 2016 | 38 | 348 | 31,8 | 2.86 |
| Switchback Pro-X 800 | 800 | 2016 - 2016 | 38 | 348 | 31,8 | 2.86 |
| Switchback Pro-X 800 track option | 800 | 2016 - 2016 | 38 | 348 | 34,3 | 2.86 |
| Switchback Pro-X 800 track option | 800 | 216 - 2016 | 38 | 348 | 44,5 | 2.86 |
| Switchback Pro-X 800 | 800 | 2015 - 2015 | 38 | 348 | 44,5 | 2.86 |
| XC SP 800, 700, 600 & 500 | 800 | 2005 - 2005 | 38 | 307 | 25,4 | 2.52 |
| XC SP 800 & 700 | 800 | 2003 - 2004 | 38 | 307 | 25,4 | 2.52 |
| XCR 800 | 800 | 1999 - 2002 | 38 | 307 | 23,1 | 2.52 |
| Fusion (all) | 900 | 2005 - 2006 | 38 | 307 | 31,8 | 2.52 |
| RMK 900 / 151 | 900 | 2005 - 2006 | 38 | 384 | 61 | 2.52 |
| RMK 900 / 159 | 900 | 2006 - 2006 | 38 | 384 | 61 | 2.52 |
| RMK 900 / 159 | 900 | 2005 - 2005 | 38 | 404 | 50,8 | 2.52 |

SKI-DOO

| Modell | CC | Årsmodell | Bredd cm | Längd cm | Kamhöjd mm | Delning tum |
|---|----|-------------|----------|----------|------------|-------------|
| Elan (all except 74-78 SS with slide rails) | | 1971 - 1996 | 38 | 290 | 14,3 | 1.968 |
| Expedition Sport | | 2005 - 2008 | 41 | 345 | 31,8 | 2.52 |
| Expedition TUV Yeti II (all) | | 2005 - 2009 | 51 | 396 | 31,8 | 2.52 |
| Expedition TUV Rev-XU | | 2009 - 2009 | 51 | 396 | 31,8 | 2.52 |
| Expedition Xtreme | | 2016 - 2016 | 51 | 391 | 44,5 | 2.86 |
| Formula III (all except LT) | | 1998 - 2000 | 38 | 307 | 22,4 | 2.52 |
| Formula III (all except LT) | | 1996 - 1997 | 38 | 307 | 18,1 | 2.52 |
| Formula III LT | | 1998 - 1998 | 38 | 345 | 22,4 | 2.52 |
| Formula III LT | | 1997 - 1997 | 38 | 345 | 38,1 | 2.52 |
| Formula III LT | | 1996 - 1996 | 38 | 345 | 23,2 | 2.52 |
| Formula Mach 1 (inc. Mach 1 two-up) | | 1989 - 1993 | 41 | 307 | | 2.52 |
| Formula Mach Z | | 1993 - 1993 | 38 | 307 | | 2.52 |
| Formula MX Z | | 1993 - 1993 | 38 | 307 | | 2.52 |
| Formula Plus (all except LT, X & XTC) | | 1990 - 1993 | 41 | 307 | | 2.52 |
| Formula Plus X | | 1993 - 1993 | 38 | 307 | | 2.52 |
| Formula S (inc. Electric), SL, SLS, SS, ST | | 1994 - 2000 | 38 | 307 | 18,1 | 2.52 |

| | | | | | | |
|--|-----|-------------|----|-----|------|-------|
| Formula STX | | 1994 - 1994 | 38 | 307 | 18,4 | 2.52 |
| Formula STX 2 (583) | | 1994 - 1994 | 38 | 307 | 23,2 | 2.52 |
| Formula Z (all) | | 1997 - 2000 | 38 | 307 | 22,4 | 2.52 |
| Formula Z (all) | | 1994 - 1996 | 38 | 307 | 18,4 | 2.52 |
| Grand Touring SE (4-stroke) & LE (all) | | 2010 - 2016 | 38 | 348 | 25,4 | 2.86 |
| Grand Touring (inc. SE) | | 1995 - 2003 | 38 | 345 | 22,4 | 2.52 |
| Grand Touring (inc. SE) | | 1994 - 1994 | 41 | 307 | 18,4 | 2.52 |
| Grand Touring Sport 550F & 600 ACE (4-stroke) | | 2015 - 2016 | 38 | 348 | 31,8 | 2.86 |
| Grand Touring XTC | | 1994 - 1994 | 41 | 345 | 13,5 | 2.52 |
| GSX LE (all) | | 2012 - 2015 | 38 | 305 | 31,8 | 2.86 |
| GSX (all except Fan & SE) | | 2008 - 2011 | 38 | 305 | 25,4 | 2.86 |
| GTX (all) | | 2005 - 2008 | 38 | 345 | 22,4 | 2.52 |
| Legend Fan, Sport, GS & SE (all) | | 2002 - 2005 | 38 | 307 | 22,4 | 2.52 |
| Legend GT (all inc. SE) | | 2004 - 2005 | 38 | 345 | 22,4 | 2.52 |
| Skandic Tundra | | 2006 - 2007 | 38 | 345 | 18,4 | 2.52 |
| Formula MX (all except LT, XTC & Z) | | 1990 - 1993 | 41 | 307 | | 2.52 |
| GTX (all except Fan) | | 2009 - 2009 | 38 | 348 | 31,8 | 2.86 |
| Alpine inc. II & IV (single ski large utility) | | 1988 - 1995 | 41 | 353 | 13,5 | 1.968 |
| Cheyenne R (including Safari Cheyenne R) | | 1987 - 1991 | 41 | 353 | | 1.968 |
| Elite (side-by-side two-seater) | | 2004 - 2005 | 38 | 345 | 22,4 | 2.52 |
| Expedition (inc. SE) | | 2010 - 2010 | 51 | 396 | 31,8 | 2.52 |
| Expedition Sport (all) | | 2011 - 2016 | 41 | 391 | 38,1 | 2.86 |
| Formula Grand Touring | | 1993 - 1993 | 41 | 307 | | 2.52 |
| Mach Z Adrenaline | | 2008 - 2008 | 38 | 307 | 25,4 | 2.52 |
| Mach Z (all) | | 2005 - 2007 | 38 | 307 | 25,4 | 2.52 |
| Mach Z (all except LT) | | 1997 - 2003 | 38 | 307 | 22,4 | 2.52 |
| Mach Z (all except LT) | | 1994 - 1996 | 38 | 307 | 23,2 | 2.52 |
| MX | | 1994 - 1995 | 38 | 307 | 18,4 | 2.52 |
| MX-Z (all except Renegade & X-RS) | | 1994 - 2007 | 38 | 307 | 22,4 | 2.52 |
| Skandic LT | | 2001 - 2007 | 38 | 396 | 25,4 | 2.52 |
| Skandic Sport | | 2004 - 2004 | 38 | 345 | 31,8 | 2.52 |
| Skandic Sport | | 2003 - 2003 | 38 | 345 | 23,2 | 2.52 |
| Skandic SUV (all) | | 2003 - 2010 | 51 | 396 | 31,8 | 2.52 |
| Skandic SWT (all) | | 2007 - 2016 | 61 | 396 | 31,8 | 2.52 |
| Skandic SWT (all) | | 1997 - 2006 | 61 | 396 | 23,1 | 2.52 |
| Skandic Tundra | | 2008 - 2009 | 41 | 345 | 31,8 | 2.52 |
| Skandic Tundra | | 2002 - 2005 | 38 | 353 | 18,4 | 1.968 |
| Skandic Tundra Xtreme E-TEC | | 2011 - 2011 | 41 | 391 | 57,2 | 2.86 |
| Skandic WT (all inc. LC) | | 2002 - 2010 | 51 | 396 | 31,8 | 2.52 |
| Skandic WT LC | | 2001 - 2001 | 51 | 396 | 31,8 | 2.52 |
| Skandic WT fan | | 2001 - 2001 | 51 | 396 | 23,2 | 2.52 |
| Skandic WT (all) | | 1995 - 2000 | 51 | 396 | 23,2 | 2.52 |
| Skandic II R | | 1992 - 1992 | 41 | 353 | | 1.968 |
| Summit (all) | | 1996 - 1997 | 38 | 345 | 38,1 | 2.52 |
| Summit (all) | | 1994 - 1995 | 38 | 345 | 23,2 | 2.52 |
| Summit Adrenaline | | 2004 - 2004 | 41 | 366 | 50,8 | 2.52 |
| Summit Adrenaline | | 2003 - 2003 | 38 | 366 | 50,8 | 2.52 |
| Touring (all except Touring E & L) | | 1995 - 2002 | 38 | 345 | 22,4 | 2.52 |
| Touring E | | 1998 - 2000 | 38 | 345 | 18,4 | 2.52 |
| Touring E | | 1996 - 1997 | 38 | 307 | 18,4 | 2.52 |
| Touring E LT II | | 1996 - 1997 | 38 | 345 | 18,4 | 2.52 |
| Touring L | | 1995 - 1995 | 38 | 307 | 18,4 | 2.52 |
| Tundra (all) | | 1995 - 2000 | 38 | 353 | 18,4 | 1.968 |
| Tundra & Tundra II LT | | 1988 - 1994 | 38 | 353 | 13,5 | 1.968 |
| Skandic II 377 | 377 | 1993 - 1994 | 41 | 353 | 13,5 | 1.968 |
| Formula Deluxe 380 Fan & 500 Fan | 380 | 1999 - 2001 | 38 | 307 | 18,1 | 2.52 |
| Skandic 380 & 500 | 380 | 1995 - 2000 | 38 | 345 | 23,2 | 2.52 |
| Formula 500 (inc. LC & Deluxe) | 500 | 1997 - 2000 | 38 | 307 | 18,1 | 2.52 |
| Formula Deluxe 500 LC | 500 | 2001 - 2001 | 38 | 307 | 22,4 | 2.52 |

| | | | | | | |
|--|-----|--------------|----|-----|------|-------|
| Formula Deluxe 500 LC | 500 | 1999 - 2000 | 38 | 307 | 18,1 | 2.52 |
| Summit 500 | 500 | 1999 - 1999 | 38 | 345 | 38,1 | 2.52 |
| Skandic II 503 | 503 | 1993 - 1994 | 41 | 353 | | 1.968 |
| Skandic II 503 SLT | 503 | 1993 - 1994 | 38 | 396 | | 2.52 |
| Freestyle Back Country 550F | 550 | 2007 - 2009 | 41 | 345 | 31,8 | 2.52 |
| Grand Touring Sport 550F & 600 | 550 | 2012 - 2014 | 41 | 348 | 31,8 | 2.86 |
| Grand Touring Sport 550F & 600 | 550 | 2011 - 2011 | 38 | 348 | 19,1 | 2.86 |
| GSX Fan | 550 | 2005 - 2009 | 38 | 307 | 22,4 | 2.52 |
| GTX Fan | 550 | 2009 - 2009 | 41 | 345 | 31,8 | 2.52 |
| MX-Z Adrenaline, Trail & TNT (all) | 550 | 2008 - 2011 | 38 | 305 | 25,4 | 2.86 |
| MX-Z Fan & 550X | 550 | 2008 - 2009 | 38 | 307 | 31,8 | 2.52 |
| MX-Z Sport 550F & 600 carb | 550 | 2013 - 2014 | 38 | 305 | 31,8 | 2.86 |
| Skandic Tundra | 550 | 2011 - 2011 | 38 | 348 | 31,8 | 2.86 |
| Skandic Tundra | 550 | 2010 - 2010 | 38 | 348 | 31,8 | 2.86 |
| Skandic Tundra Sport 550F | 550 | 2010 - 2011 | 41 | 348 | 31,8 | 2.86 |
| Skandic WT (Yeti) 550F | 550 | 2011 - 2011 | 51 | 396 | 31,8 | 2.52 |
| Summit Fan (550) | 550 | 2007 - 2009 | 41 | 345 | 44,5 | 2.52 |
| Summit Fan (550) | 550 | 2001 - 2006 | 38 | 345 | 38,1 | 2.52 |
| Tundra | 553 | 2012 - 2012 | 38 | 348 | 34,3 | 2.86 |
| Tundra LT | 553 | 2012 - 2016 | 41 | 391 | 38,1 | 2.86 |
| Tundra Sport | 553 | 2015 - 2016 | 41 | 348 | 31,8 | 2.86 |
| Tundra Sport | 553 | 2012 - 2014 | 41 | 348 | 34,3 | 2.86 |
| Formula 583 (inc. Deluxe) | 583 | 1997 - 1999 | 38 | 307 | 22,4 | 2.52 |
| Formula STX (583) | 583 | 1996 - 1996 | 38 | 307 | 23,2 | 2.52 |
| Formula STX LT (583) | 583 | 1995 - 1996 | 38 | 345 | 23,2 | 2.52 |
| Summit 583 | 583 | 1998 - 1998 | 38 | 345 | 38,1 | 2.52 |
| Tundra Xtreme | 594 | 2016 - 2016 | 41 | 391 | 63,5 | 2.86 |
| Tundra Xtreme | 594 | 2012 - 2015 | 41 | 391 | 57,2 | 2.86 |
| GSX SE (all) | 600 | 2012 - 2015 | 38 | 348 | 31,8 | 2.86 |
| GSX SE | 600 | 2010 - 2011 | 38 | 348 | 25,4 | 2.86 |
| GSX Sport & Limited | 600 | 2004 - 2007 | 38 | 307 | 25,4 | 2.52 |
| Renegade Enduro | 600 | 2016 - 2016 | 38 | 348 | 31,8 | 2.86 |
| Renegade X & Renegade X-RS | 600 | 2013 - 2015 | 41 | 348 | 31,8 | 2.86 |
| Renegade X ICE track option | 600 | 2013 - 2013 | 38 | 348 | 31,8 | 2.86 |
| Expedition SE & LE (all) | 600 | 2011 - 2016 | 51 | 391 | 31,8 | 2.86 |
| Freeride 137 | 600 | 2012 - 2016 | 41 | 348 | 44,5 | 2.86 |
| Freeride 137 | 600 | 2014 - 2016 | 41 | 348 | 57,2 | 2.86 |
| Freeride 146 | 600 | 2012 - 2012 | 41 | 371 | 57,2 | 2.86 |
| Freeride 146 | 600 | 2013 - 2016 | 41 | 371 | 63,5 | 2.86 |
| Freeride 154 | 600 | 2012 - 2012 | 41 | 391 | 57,2 | 2.86 |
| Freeride 154 | 600 | 2013 - 2016 | 41 | 391 | 63,5 | 2.86 |
| Freeride 154 | 600 | 2013 - 2016 | 41 | 391 | 63,5 | 2.86 |
| Freestyle (all except Back Country 550F) | 600 | 2006 - 2008 | 38 | 307 | 18,4 | 2.52 |
| Grand Touring Sport ACE 600 (4-stroke) | 600 | 2012 - 2014 | 38 | 348 | 25,4 | 2.86 |
| Grand Touring Sport ACE 600 (4-stroke) | 600 | 2011 - 2011 | 41 | 348 | 31,8 | 2.86 |
| MX-Z Adrenaline, Trail & TNT (all) | 600 | 2008 - 2011 | 38 | 305 | 25,4 | 2.86 |
| MX-Z Iron Dog | 600 | 015.5 - 2015 | 38 | 328 | 31,8 | 2.86 |
| MX-Z Renegade & Renegade X | 600 | 2008 - 2009 | 41 | 348 | 31,8 | 2.86 |
| MX-Z Renegade (all including Renegade X) | 600 | 2005 - 2007 | 41 | 345 | 31,8 | 2.52 |
| MX-Z Renegade (all) | 600 | 2002 - 2004 | 38 | 345 | 31,8 | 2.52 |
| MX-Z Sport 600 carb & 600 ACE (4-stroke) | 600 | 2015 - 2016 | 38 | 305 | 31,8 | 2.86 |
| MX-Z Sport ACE 600 (4-stroke) | 600 | 2012 - 2014 | 38 | 305 | 25,4 | 2.86 |
| MX-Z TNT (all) | 600 | 2012 - 2016 | 38 | 305 | 31,8 | 2.86 |
| MX-Z X (all) | 600 | 2016 - 2016 | 38 | 328 | 31,8 | 2.86 |
| MX-Z X (all) | 600 | 2008 - 2015 | 38 | 305 | 31,8 | 2.86 |
| MX-Z X-RS (all) | 600 | 2016 - 2016 | 38 | 328 | 31,8 | 2.86 |
| MX-Z X-RS (racer replica) | 600 | 2010 - 2015 | 38 | 305 | 31,8 | 2.86 |
| MX-Z X-RS (racer replica) | 600 | 2007 - 2007 | 38 | 307 | 31,8 | 2.52 |
| Renegade Adrenaline | 600 | 2013 - 2016 | 38 | 348 | 31,8 | 2.86 |

| | | | | | | |
|---|-----|-------------|----|-----|------|------|
| Renegade (all except Backcountry versions) | 600 | 2011 - 2012 | 41 | 348 | 31,8 | 2.86 |
| Renegade (all except Backcountry versions) | 600 | 2010 - 2010 | 38 | 348 | 31,8 | 2.86 |
| Renegade Backcountry & Backcountry X | 600 | 2016 - 2016 | 41 | 371 | 40,6 | 2.86 |
| Renegade Backcountry & Backcountry X | 600 | 2010 - 2015 | 41 | 348 | 44,5 | 2.86 |
| Renegade Backcountry X 600 E-TEC | 600 | 2012 - 2013 | 41 | 348 | 44,5 | 2.86 |
| Renegade Sport (all) | 600 | 2011 - 2016 | 38 | 348 | 31,8 | 2.86 |
| Skandic Tundra | 600 | 2011 - 2011 | 38 | 348 | 31,8 | 2.86 |
| Skandic Tundra LT 600 ACE (4-stroke) & 550F | 600 | 2008 - 2011 | 41 | 391 | 38,1 | 2.86 |
| Skandic WT (XU) 600 ACE (4-stroke) & E-TEC | 600 | 2011 - 2016 | 51 | 391 | 38,1 | 2.86 |
| Summit 600 | 600 | 2000 - 2000 | 38 | 345 | 44,5 | 2.52 |
| Summit Adrenaline / 144 | 600 | 2005 - 2008 | 41 | 366 | 50,8 | 2.52 |
| Summit Adrenaline / 151 | 600 | 2005 - 2007 | 41 | 384 | 50,8 | 2.52 |
| Summit Everest 600 & 800 / 146 | 600 | 2011 - 2011 | 41 | 371 | 57,2 | 2.86 |
| Summit Everest 600 & 600 HO / 146 | 600 | 2009 - 2009 | 38 | 371 | 50,8 | 2.86 |
| Summit Everest / 146 | 600 | 2008 - 2008 | 41 | 371 | 57,2 | 2.86 |
| Summit Everest / 146 | 600 | 2010 - 2010 | 41 | 371 | 57,2 | 2.86 |
| Summit Everest / 154 | 600 | 2011 - 2011 | 41 | 391 | 57,2 | 2.86 |
| Summit Everest / 154 | 600 | 2008 - 2010 | 41 | 391 | 57,2 | 2.86 |
| Summit Everest / 163 | 600 | 2009 - 2011 | 41 | 414 | 57,2 | 2.86 |
| Summit Freeride | 600 | 2011 - 2011 | 41 | 391 | 57,2 | 2.86 |
| Summit Highmark | 600 | 2005 - 2005 | 41 | 404 | 50,8 | 2.52 |
| Summit Highmark | 600 | 2004 - 2004 | 41 | 384 | 50,8 | 2.52 |
| Summit Highmark | 600 | 2001 - 2003 | 38 | 384 | 50,8 | 2.52 |
| Summit Highmark Extreme | 600 | 2004 - 2004 | 41 | 404 | 50,8 | 2.52 |
| Summit Highmark Extreme | 600 | 2003 - 2003 | 38 | 404 | 50,8 | 2.52 |
| Summit Highmark X | 600 | 2004 - 2004 | 41 | 384 | 50,8 | 2.52 |
| Summit Highmark X | 600 | 2001 - 2003 | 38 | 384 | 50,8 | 2.52 |
| Summit Highmark X / 163 | 600 | 2008 - 2009 | 41 | 414 | 57,2 | 2.86 |
| Summit Highmark X / 154 | 600 | 2008 - 2009 | 41 | 391 | 57,2 | 2.86 |
| Summit Highmark X / 146 | 600 | 2008 - 2009 | 41 | 371 | 57,2 | 2.86 |
| Summit Highmark X / 144 | 600 | 2005 - 2006 | 41 | 366 | 57,2 | 2.52 |
| Summit Highmark X / 151 | 600 | 2005 - 2007 | 41 | 384 | 57,2 | 2.52 |
| Summit SP / 154 600 E-TEC | 600 | 2012 - 2014 | 41 | 391 | 57,2 | 2.86 |
| Summit SP / 146 (all) | 600 | 2015 - 2016 | 41 | 371 | 63,5 | 2.86 |
| Summit SP / 146 600 E-TEC | 600 | 2012 - 2014 | 41 | 371 | 57,2 | 2.86 |
| Summit SP | 600 | 2011 - 2011 | 41 | 391 | 57,2 | 2.86 |
| Summit Sport 600 Carb | 600 | 2011 - 2016 | 41 | 371 | 57,2 | 2.86 |
| Summit Sport | 600 | 2010 - 2010 | 38 | 371 | 50,8 | 2.86 |
| Summit Sport (all) | 600 | 2004 - 2004 | 41 | 384 | 50,8 | 2.52 |
| Summit Sport (all) | 600 | 2002 - 2002 | 38 | 366 | 50,8 | 2.52 |
| Summit X / 144 | 600 | 2007 - 2007 | 41 | 366 | 57,2 | 2.52 |
| Summit X / 146 | 600 | 2012 - 2015 | 41 | 371 | 63,5 | 2.86 |
| Summit X / 146 | 600 | 2011 - 2011 | 41 | 371 | 57,2 | 2.86 |
| Summit X / 146 | 600 | 2008 - 2008 | 41 | 371 | 57,2 | 2.86 |
| Summit X / 146 | 600 | 2010 - 2010 | 41 | 371 | 57,2 | 2.86 |
| Summit X / 151 | 600 | 2007 - 2007 | 41 | 384 | 57,2 | 2.52 |
| Summit X / 154 | 600 | 2012 - 2015 | 41 | 391 | 63,5 | 2.86 |
| Summit X / 154 | 600 | 2011 - 2011 | 41 | 391 | 57,2 | 2.86 |
| Summit X / 154 | 600 | 2008 - 2008 | 41 | 391 | 57,2 | 2.86 |
| Summit X / 154 | 600 | 2010 - 2010 | 41 | 391 | 57,2 | 2.86 |
| Summit X / 159 | 600 | 2007 - 2007 | 41 | 404 | 57,2 | 2.52 |
| Summit X / 163 | 600 | 2012 - 2015 | 41 | 414 | 63,5 | 2.86 |
| Summit X / 163 | 600 | 2011 - 2011 | 41 | 414 | 57,2 | 2.86 |
| Summit X / 163 | 600 | 2008 - 2008 | 41 | 414 | 57,2 | 2.86 |
| Summit X / 163 | 600 | 2010 - 2010 | 41 | 414 | 57,2 | 2.86 |
| Summit X (all) | 600 | 2001 - 2003 | 38 | 366 | 50,8 | 2.52 |
| Summit X-RS Hillclimb Edition | 600 | 2010 - 2010 | 41 | 391 | 57,2 | 2.86 |
| Summit X-RS | 600 | 2007 - 2007 | 41 | 384 | 57,2 | 2.52 |
| Formula Deluxe 670 & 583 | 670 | 1999 - 1999 | 38 | 307 | 22,4 | 2.52 |

| | | | | | | |
|--|-----|-------------|----|-----|------|------|
| Summit 670 & 600 | 670 | 1999 - 1999 | 38 | 345 | 44,5 | 2.52 |
| Summit 670 | 670 | 1998 - 1998 | 38 | 345 | 44,5 | 2.52 |
| Formula Deluxe 700 & 600 | 700 | 2000 - 2001 | 38 | 307 | 22,4 | 2.52 |
| Mach 1 | 700 | 1997 - 2000 | 38 | 307 | 22,4 | 2.52 |
| Mach 1 | 700 | 1996 - 1996 | 38 | 307 | 23,2 | 2.52 |
| Mach 1 | 700 | 1995 - 1995 | 38 | 307 | 18,4 | 2.52 |
| Mach 1 | 700 | 1991 - 1994 | 41 | 307 | 18,4 | 2.52 |
| Summit 700 & 600 | 700 | 2001 - 2001 | 38 | 366 | 50,8 | 2.52 |
| Summit 700 | 700 | 2000 - 2000 | 38 | 345 | 50,8 | 2.52 |
| Renegade Enduro | 800 | 2016 - 2016 | 38 | 348 | 31,8 | 2.86 |
| Renegade X & Renegade X-RS | 800 | 2013 - 2015 | 41 | 348 | 31,8 | 2.86 |
| Renegade X ICE track option | 800 | 2013 - 2013 | 38 | 348 | 31,8 | 2.86 |
| Freeride 137 | 800 | 2012 - 2016 | 41 | 348 | 44,5 | 2.86 |
| Freeride 137 | 800 | 2014 - 2016 | 41 | 348 | 57,2 | 2.86 |
| Freeride 146 | 800 | 2012 - 2012 | 41 | 371 | 57,2 | 2.86 |
| Freeride 146 | 800 | 2013 - 2016 | 41 | 371 | 63,5 | 2.86 |
| Freeride 154 | 800 | 2012 - 2012 | 41 | 391 | 57,2 | 2.86 |
| Freeride 154 | 800 | 2013 - 2016 | 41 | 391 | 63,5 | 2.86 |
| Freeride 154 | 800 | 2013 - 2016 | 41 | 391 | 63,5 | 2.86 |
| Freestyle (all except Back Country 550F) | 800 | 2006 - 2008 | 38 | 307 | 18,4 | 2.52 |
| Legend Touring V-800 (4-stroke) | 800 | 2007 - 2009 | 38 | 345 | 22,4 | 2.52 |
| Legend Trail V-800 (4-stroke) | 800 | 2007 - 2008 | 38 | 307 | 22,4 | 2.52 |
| Mach Z LT | 800 | 1998 - 1998 | 38 | 345 | 22,4 | 2.52 |
| Mach Z LT | 800 | 1997 - 1997 | 38 | 345 | 38,1 | 2.52 |
| Mach Z LT | 800 | 1996 - 1996 | 38 | 345 | 25,4 | 2.52 |
| MX-Z Adrenaline, Trail & TNT (all) | 800 | 2008 - 2011 | 38 | 305 | 25,4 | 2.86 |
| MX-Z Blizzard (all) | 800 | 2016 - 2016 | 38 | 328 | 31,8 | 2.86 |
| MX-Z Renegade & Renegade X | 800 | 2008 - 2009 | 41 | 348 | 31,8 | 2.86 |
| MX-Z Renegade (all including Renegade X) | 800 | 2005 - 2007 | 41 | 345 | 31,8 | 2.52 |
| MX-Z Renegade (all) | 800 | 2002 - 2004 | 38 | 345 | 31,8 | 2.52 |
| MX-Z X (all) | 800 | 2016 - 2016 | 38 | 328 | 31,8 | 2.86 |
| MX-Z X (all) | 800 | 2008 - 2015 | 38 | 305 | 31,8 | 2.86 |
| MX-Z X-RS (all) | 800 | 2016 - 2016 | 38 | 328 | 31,8 | 2.86 |
| Renegade Adrenaline | 800 | 2013 - 2016 | 38 | 348 | 31,8 | 2.86 |
| Renegade (all except Backcountry versions) | 800 | 2011 - 2012 | 41 | 348 | 31,8 | 2.86 |
| Renegade (all except Backcountry versions) | 800 | 2010 - 2010 | 38 | 348 | 31,8 | 2.86 |
| Renegade Backcountry & Backcountry X | 800 | 2016 - 2016 | 41 | 371 | 40,6 | 2.86 |
| Renegade Backcountry & Backcountry X | 800 | 2010 - 2015 | 41 | 348 | 44,5 | 2.86 |
| Renegade Backcountry X 800R E-TEC | 800 | 2012 - 2013 | 41 | 348 | 38,1 | 2.86 |
| Summit Adrenaline / 144 | 800 | 2005 - 2008 | 41 | 366 | 50,8 | 2.52 |
| Summit Adrenaline / 151 | 800 | 2005 - 2007 | 41 | 384 | 50,8 | 2.52 |
| Summit Everest 800R / 146 | 800 | 2009 - 2009 | 41 | 371 | 57,2 | 2.86 |
| Summit Everest / 146 | 800 | 2008 - 2008 | 41 | 371 | 57,2 | 2.86 |
| Summit Everest / 146 | 800 | 2010 - 2010 | 41 | 371 | 57,2 | 2.86 |
| Summit Everest / 154 | 800 | 2011 - 2011 | 41 | 391 | 57,2 | 2.86 |
| Summit Everest / 154 | 800 | 2008 - 2010 | 41 | 391 | 57,2 | 2.86 |
| Summit Everest / 163 | 800 | 2009 - 2011 | 41 | 414 | 57,2 | 2.86 |
| Summit Freeride | 800 | 2011 - 2011 | 41 | 391 | 57,2 | 2.86 |
| Summit Highmark | 800 | 2005 - 2005 | 41 | 404 | 50,8 | 2.52 |
| Summit Highmark | 800 | 2004 - 2004 | 41 | 384 | 50,8 | 2.52 |
| Summit Highmark | 800 | 2001 - 2003 | 38 | 384 | 50,8 | 2.52 |
| Summit Highmark Extreme | 800 | 2004 - 2004 | 41 | 404 | 50,8 | 2.52 |
| Summit Highmark Extreme | 800 | 2003 - 2003 | 38 | 404 | 50,8 | 2.52 |
| Summit Highmark X | 800 | 2004 - 2004 | 41 | 384 | 50,8 | 2.52 |
| Summit Highmark X | 800 | 2001 - 2003 | 38 | 384 | 50,8 | 2.52 |
| Summit Highmark X / 163 | 800 | 2008 - 2009 | 41 | 414 | 57,2 | 2.86 |
| Summit Highmark X / 154 | 800 | 2008 - 2009 | 41 | 391 | 57,2 | 2.86 |
| Summit Highmark X / 146 | 800 | 2008 - 2009 | 41 | 371 | 57,2 | 2.86 |
| Summit Highmark X / 144 | 800 | 2005 - 2006 | 41 | 366 | 57,2 | 2.52 |

| | | | | | | |
|--|------|-------------|----|-----|------|------|
| Summit Highmark X / 151 | 800 | 2005 - 2007 | 41 | 384 | 57,2 | 2.52 |
| Summit SP / 163 800R E-TEC | 800 | 2012 - 2016 | 41 | 414 | 63,5 | 2.86 |
| Summit SP / 154 (all including Burton) | 800 | 2015 - 2016 | 41 | 391 | 63,5 | 2.86 |
| Summit SP / 154 800R E-TEC | 800 | 2012 - 2015 | 41 | 391 | 63,5 | 2.86 |
| Summit SP / 146 (all) | 800 | 2015 - 2016 | 41 | 371 | 63,5 | 2.86 |
| Summit SP / 146 800R E-TEC | 800 | 2012 - 2014 | 41 | 371 | 63,5 | 2.86 |
| Summit SP | 800 | 2011 - 2011 | 41 | 391 | 57,2 | 2.86 |
| Summit SP with T3 package | 800 | 2016 - 2016 | 41 | 442 | 76,2 | 3.00 |
| Summit SP with T3 package | 800 | 2016 - 2016 | 41 | 414 | 76,2 | 3.00 |
| Summit SP with T3 package | 800 | 2016 - 2016 | 41 | 391 | 76,2 | 3.00 |
| Summit Sport 800R PowerTek | 800 | 2012 - 2016 | 41 | 391 | 57,2 | 2.86 |
| Summit Sport | 800 | 2010 - 2010 | 38 | 371 | 50,8 | 2.86 |
| Summit Sport (all) | 800 | 2004 - 2004 | 41 | 384 | 50,8 | 2.52 |
| Summit Sport (all) | 800 | 2002 - 2002 | 38 | 366 | 50,8 | 2.52 |
| Summit X / 144 | 800 | 2007 - 2007 | 41 | 366 | 57,2 | 2.52 |
| Summit X /146 | 800 | 2012 - 2015 | 41 | 371 | 63,5 | 2.86 |
| Summit X / 146 | 800 | 2011 - 2011 | 41 | 371 | 57,2 | 2.86 |
| Summit X / 146 | 800 | 2008 - 2008 | 41 | 371 | 57,2 | 2.86 |
| Summit X / 146 | 800 | 2010 - 2010 | 41 | 371 | 57,2 | 2.86 |
| Summit X / 151 | 800 | 2007 - 2007 | 41 | 384 | 57,2 | 2.52 |
| Summit X / 154 | 800 | 2012 - 2015 | 41 | 391 | 63,5 | 2.86 |
| Summit X / 154 | 800 | 2011 - 2011 | 41 | 391 | 57,2 | 2.86 |
| Summit X / 154 | 800 | 2008 - 2008 | 41 | 391 | 57,2 | 2.86 |
| Summit X / 154 | 800 | 2010 - 2010 | 41 | 391 | 57,2 | 2.86 |
| Summit X / 159 | 800 | 2007 - 2007 | 41 | 404 | 57,2 | 2.52 |
| Summit X / 163 | 800 | 2012 - 2015 | 41 | 414 | 63,5 | 2.86 |
| Summit X / 163 | 800 | 2011 - 2011 | 41 | 414 | 57,2 | 2.86 |
| Summit X / 163 | 800 | 2008 - 2008 | 41 | 414 | 57,2 | 2.86 |
| Summit X / 163 | 800 | 2010 - 2010 | 41 | 414 | 57,2 | 2.86 |
| Summit X (all) | 800 | 2001 - 2003 | 38 | 366 | 50,8 | 2.52 |
| Summit X with T3 package | 800 | 2016 - 2016 | 41 | 391 | 76,2 | 3.00 |
| Summit X with T3 package | 800 | 2015 - 2016 | 41 | 414 | 76,2 | 3.00 |
| Summit X with T3 package | 800 | 2015 - 2016 | 41 | 442 | 76,2 | 3.00 |
| Summit X-RS Hillclimb Edition | 800 | 2010 - 2010 | 41 | 391 | 57,2 | 2.86 |
| Summit X-RS | 800 | 2007 - 2007 | 41 | 384 | 57,2 | 2.52 |
| Mach Z X | 1000 | 2008 - 2008 | 38 | 307 | 31,8 | 2.52 |
| Mach Z LT | 1000 | 2008 - 2008 | 38 | 345 | 31,8 | 2.52 |
| Summit Highmark X / 151 (1000 SDI) | 1000 | 2007 - 2007 | 41 | 384 | 57,2 | 2.52 |
| Summit Highmark X / 151 (1000 SDI) | 1000 | 2006 - 2006 | 41 | 384 | 58,8 | 2.52 |
| Expedition SE & LE (all) | 1200 | 2011 - 2016 | 51 | 391 | 31,8 | 2.86 |

YAMAHA

| Modell | CC | Årsmodell | Bredd cm | Längd cm | Kamhöjd mm | Delning tum |
|---|----|-------------|----------|----------|------------|-------------|
| Vmax-4 | | 1992 - 1997 | 38 | 307 | 19,1 | 2.52 |
| Vmax-4 Mountain Max & ST | | 1995 - 1997 | 38 | 345 | 28,6 | 2.52 |
| Vmax-4 ST | | 1994 - 1994 | 38 | 345 | 19,1 | 2.52 |
| Bravo LT | | 1987 - 2000 | 38 | 345 | 14,2 | 2.52 |
| Enticer LTR & Enticer II LT | | 1987 - 2000 | 38 | 345 | | 2.52 |
| Exciter & Exciter II (inc. Deluxe, SX & LE) | | 1988 - 1993 | 38 | 307 | | 2.52 |
| Exciter II ST | | 1993 - 1993 | 38 | 345 | 17,8 | 2.52 |
| Mountain Max (all) | | 1997 - 1999 | 38 | 345 | 38,1 | 2.52 |
| Mountain SRX | | 1998 - 1998 | 38 | 345 | 38,1 | 2.52 |
| Phazer (inc. Deluxe & E) | | 1984 - 1989 | 38 | 295 | | 2.52 |
| Phazer Mountain Lite | | 1998 - 1998 | 38 | 345 | 38,1 | 2.52 |
| Phazer Mountain Lite | | 2000 - 2001 | 38 | 345 | 38,1 | 2.52 |
| Phazer Mountain Lite | | 1996 - 1997 | 38 | 345 | 28,6 | 2.52 |
| Phazer Mountain Lite | | 1999 - 1999 | 38 | 345 | 28,6 | 2.52 |
| Phazer II (inc. SS, ST, LE & Deluxe) | | 1990 - 2001 | 38 | 307 | | 2.52 |

| | | | | | | |
|--|------|-------------|----|-----|------|------|
| Phazer II ST | | 1991 - 1994 | 38 | 345 | | 2.52 |
| SR-V | | 1981 - 1991 | 38 | 307 | | 2.52 |
| SX & SX-R (all) | | 1999 - 2002 | 38 | 307 | 23,4 | 2.52 |
| SX Venom (inc. ER) | | 2004 - 2006 | 38 | 307 | 25,4 | 2.52 |
| Venture GT | | 1992 - 1993 | 38 | 307 | | 2.52 |
| Vmax (inc. XT, XTC, XTC Deluxe, LE & SX) | | 2000 - 2001 | 38 | 307 | 23,4 | 2.52 |
| Vmax (inc. XT, XTC, XTC Deluxe, LE & SX) | | 1995 - 1999 | 38 | 307 | 19,1 | 2.52 |
| Vmax DX (all) | | 1995 - 1996 | 38 | 345 | 19,1 | 2.52 |
| Vmax DX (all) | | 1994 - 1994 | 38 | 307 | | 2.52 |
| Vmax ST (all) | | 1994 - 1995 | 38 | 345 | 28,6 | 2.52 |
| Vmax Mountain Max | | 1996 - 1996 | 38 | 345 | 28,6 | 2.52 |
| XL-V | | 1985 - 1990 | 38 | 307 | | 2.52 |
| Venture TR (480) | 480 | 1996 - 1997 | 38 | 345 | 19,1 | 2.52 |
| Venture XL (480) | 480 | 1991 - 1997 | 38 | 307 | | 2.52 |
| Phazer (inc. FX & RTX) | 500 | 2007 - 2014 | 36 | 307 | 25,4 | 2.52 |
| Phazer GT | 500 | 2007 - 2013 | 36 | 307 | 25,4 | 2.52 |
| Phazer MTX & Phazer M-TX | 500 | 2008 - 2016 | 36 | 366 | 50,8 | 2.52 |
| Phazer R-TX | 500 | 2015 - 2016 | 36 | 307 | 25,4 | 2.52 |
| Phazer XTX & Phazer X-TX | 500 | 2014 - 2016 | 36 | 366 | 38,1 | 2.52 |
| Phazer Mountain Lite | 500 | 2007 - 2007 | 36 | 366 | 50,8 | 2.52 |
| Venture Lite | 500 | 2007 - 2013 | 38 | 366 | 31,8 | 2.52 |
| Venture MP (Multi-Purpose) | 500 | 2013 - 2016 | 41 | 366 | 31,8 | 2.52 |
| Venture XL (500 fan) | 500 | 1999 - 2000 | 38 | 345 | 19,1 | 2.52 |
| VK 540 III | 540 | 1999 - 2012 | 51 | 396 | 25,4 | 2.52 |
| VK-540 II | 540 | 1988 - 1998 | 51 | 396 | 19,1 | 2.52 |
| VK 540 IV (Europe) | 540 | 2013 - 2014 | 51 | 391 | 34,9 | 2.86 |
| VK 540 EC (Europe & Canada) | 540 | 2006 - 2012 | 0 | 396 | 25,4 | 2.52 |
| SRX 600 & 700 (triple / triple) | 600 | 1998 - 2002 | 38 | 307 | 23,4 | 2.52 |
| Venture 600 | 600 | 2006 - 2006 | 38 | 345 | 31,8 | 2.52 |
| Venture 600 | 600 | 2004 - 2005 | 38 | 345 | 25,4 | 2.52 |
| SX Viper S | 700 | 2004 - 2004 | 38 | 307 | 31,8 | 2.52 |
| SRX 600 & 700 (triple / triple) | 700 | 1998 - 2002 | 38 | 307 | 23,4 | 2.52 |
| SX Viper 700 & 700 ER | 700 | 2003 - 2004 | 38 | 307 | 25,4 | 2.52 |
| SX Viper 700 & 700 ER | 700 | 2002 - 2002 | 38 | 307 | 23,4 | 2.52 |
| Venture 700 | 700 | 2004 - 2004 | 38 | 345 | 31,8 | 2.52 |
| Venture 700 & 600 | 700 | 2002 - 2003 | 38 | 345 | 25,4 | 2.52 |
| Venture 700, 600, 500 | 700 | 1997 - 2001 | 38 | 345 | 19,1 | 2.52 |
| VK Professional | 973 | 2006 - 2013 | 51 | 396 | 31,8 | 2.52 |
| Attak (inc. GT) | 973 | 2006 - 2007 | 38 | 345 | 31,8 | 2.52 |
| RS Rage (inc. GT) | 973 | 2005 - 2007 | 38 | 345 | 31,8 | 2.52 |
| VK Professional (RS Viking Professional, 4-stroke) | 973 | 2013 - 2015 | 51 | 391 | 34,9 | 2.86 |
| VK Professional II | 973 | 2016 - 2016 | 51 | 391 | 38,1 | 2.86 |
| Apex & Apex LE | 999 | 2016 - 2016 | 38 | 328 | 31,8 | 2.86 |
| Apex & Apex SE | 999 | 2011 - 2015 | 38 | 325 | 31,8 | 2.52 |
| Apex (inc. GT) | 999 | 2008 - 2010 | 38 | 307 | 31,8 | 2.52 |
| Apex LTX (inc. GT) | 999 | 2008 - 2010 | 38 | 345 | 31,8 | 2.52 |
| Apex MTX (inc. SE) | 999 | 2008 - 2010 | 41 | 411 | 57,2 | 3.00 |
| Apex Mountain (inc. SE) | 999 | 2006 - 2007 | 41 | 411 | 57,2 | 3.00 |
| Apex RTX (inc. GT & ER) | 999 | 2006 - 2008 | 38 | 307 | 31,8 | 2.52 |
| Apex X-TX, | 999 | 2016 - 2016 | 38 | 371 | 31,8 | 2.86 |
| Apex X-TX 1.75 & Apex X-TX 1.75 LE | 999 | 2016 - 2016 | 38 | 371 | 44,5 | 2.86 |
| Apex XTX & Apex X-TX | 999 | 2011 - 2015 | 38 | 366 | 31,8 | 2.52 |
| RX-1 (inc. ER & LE) | 999 | 2003 - 2005 | 38 | 307 | 31,8 | 2.52 |
| RX-1 Mountain | 999 | 2004 - 2005 | 38 | 384 | 50,8 | 2.52 |
| RX-1 Warrior (inc. LE) | 999 | 2004 - 2004 | 38 | 345 | 31,8 | 2.52 |
| FX Nytro & Nytro RTX (all inc. SE) | 1049 | 2008 - 2011 | 38 | 307 | 31,8 | 2.52 |
| FX Nytro (all inc. SE) | 1049 | 2012 - 2012 | 38 | 307 | 31,8 | 2.52 |
| FX Nytro RTX | 1049 | 2012 - 2013 | 38 | 305 | 31,8 | 2.86 |
| FX Nytro | 1049 | 2013 - 2014 | 38 | 305 | 31,8 | 2.86 |

| | | | | | | |
|--|------|-------------|----|-----|------|------|
| FX Nytro MTX | 1049 | 2008 - 2010 | 38 | 389 | 57,2 | 3.00 |
| FX Nytro MTX SE 153 | 1049 | 2010 - 2014 | 38 | 389 | 57,2 | 3.00 |
| FX Nytro MTX SE 162 | 1049 | 2010 - 2014 | 38 | 411 | 57,2 | 3.00 |
| FX Nytro XTX, 1.75 track | 1049 | 2013 - 2014 | 38 | 366 | 44,5 | 2.52 |
| FX Nytro XTX | 1049 | 2009 - 2014 | 38 | 366 | 31,8 | 2.52 |
| Nytro (inc. ER) | 1049 | 2006 - 2007 | 38 | 307 | 31,8 | 2.52 |
| RS Vector & RS Vector LE | 1049 | 2016 - 2016 | 38 | 328 | 31,8 | 2.86 |
| RS Vector, Vector GT & ER | 1049 | 2005 - 2015 | 38 | 307 | 31,8 | 2.52 |
| RS Vector LTX (inc. GT) & RS Vector L-TX | 1049 | 2008 - 2015 | 38 | 345 | 31,8 | 2.52 |
| RS Vector Mountain | 1049 | 2005 - 2007 | 38 | 384 | 50,8 | 2.52 |
| RS Vector Mountain SE | 1049 | 2006 - 2007 | 41 | 411 | 57,2 | 3.00 |
| RS Vector X-TX | 1049 | 2016 - 2016 | 38 | 371 | 31,8 | 2.86 |
| RS Vector X-TX 1.75 & RS Vector X-TX LE 1.75 | 1049 | 2016 - 2016 | 38 | 371 | 44,5 | 2.86 |
| RS Venture (inc. GT) | 1049 | 2006 - 2016 | 38 | 366 | 31,8 | 2.52 |
| RS Venture Lite | 1049 | 2012 - 2013 | 38 | 366 | 31,8 | 2.52 |
| RS Venture TF & RS Venture TF LE | 1049 | 2014 - 2016 | 38 | 384 | 31,8 | 2.52 |
| SR Viper & Viper RTX SE | 1049 | 2014 - 2014 | 38 | 328 | 31,8 | 2.86 |
| SR Viper LTX, LTX SE, L-TX SE & L-TX DX | 1049 | 2014 - 2016 | 38 | 348 | 31,8 | 2.86 |
| SR Viper M-TX 162 LE | 1049 | 2016 - 2016 | 38 | 411 | 76,2 | 3.00 |
| SR Viper M-TX 162 & SR Viper M-TX 162 SE | 1049 | 2016 - 2016 | 38 | 411 | 66 | 3.00 |
| SR Viper M-TX 162 LE & SE | 1049 | 2015 - 2015 | 38 | 411 | 66 | 3.00 |
| SR Viper M-TX 153 LE | 1049 | 2016 - 2016 | 38 | 389 | 76,2 | 3.00 |
| SR Viper M-TX 153 & SR Viper M-TX 153 SE | 1049 | 2016 - 2016 | 38 | 389 | 66 | 3.00 |
| SR Viper M-TX 153 LE & SE | 1049 | 2015 - 2015 | 38 | 389 | 66 | 3.00 |
| SR Viper M-TX 141 SE | 1049 | 2016 - 2016 | 38 | 358 | 57,2 | 3.00 |
| SR Viper R-TX DX, SE & LE blue/orange | 1049 | 2015 - 2016 | 38 | 328 | 31,8 | 2.86 |
| SR Viper R-TX LE white/blue | 1049 | 2015 - 2015 | 38 | 328 | 44,5 | 2.86 |
| SR Viper S-TX 137 DX | 1049 | 2016 - 2016 | 38 | 348 | 40,6 | 2.86 |
| SR Viper S-TX 146 DX | 1049 | 2016 - 2016 | 38 | 371 | 31,8 | 2.86 |
| SR Viper S-TX DX | 1049 | 2015 - 2015 | 38 | 358 | 40,6 | 3.00 |
| SR Viper X-TX LE & SE | 1049 | 2016 - 2016 | 38 | 358 | 40,6 | 2.86 |
| SR Viper X-TX LE | 1049 | 2015 - 2015 | 38 | 358 | 57,2 | 3.00 |
| SR Viper XTX SE & X-TX SE | 1049 | 2014 - 2015 | 38 | 358 | 40,6 | 3.00 |

